

Burkina Faso + Ghana 2013

DOF Travel



Udarbejdet af Alex Rosendal

Indholdsfortegnelse:

Indledning
Turprogram
Landekort
Lokalitetsbeskrivelse
DOF trækfugleprogram i Ghana
Dagsrapport
Fugleliste
Pattedyr

Indledning:

Burkina Faso + Ghana er ikke kun fantastiske fuglelande, men også spændende lande med anderledes kultur, religion, gastronomi, smukke landskaber og varieret natur.

DOF har ikke tidligere haft en tur til hverken Ghana eller Burkina Faso, så det var med spænding, vi udbød turen. Interessen viste sig at være stor og den første tur blev hurtigt overtegnet, så vi dublerede den.

Landene bød på en perlerække af smukke og spændende afrikanske fugle og dyr. Blandt de mange uforglemmelige fugle-og dyreoplevelser er det svært at sige, hvad der var de største, men der er vist enighed om at Krokodillevogter, Picathartes, Blue-headed Bee-eater (for dem, der så dem), Black Bee-eater, Blue-breasted Roller, Forbes` s Plover, Standard-winged Nightjar m.fl. var højdepunkter.

Alt i alt så og hørte vi 399 fuglearter og 46 pattedyr på rejsens 12 hele dage.

Der var 9 deltagere på holdet, humøret var godt og vi havde det fint sammen. Deltagerne var Helle og Flemming Lundgren, Tina og Mads Elley, Birthe og Erik Wikkelsøe, Lars Falck, Carl Axel Henriksen, Hans Harrestrup Andersen og Alex Rosendal (leder)

Vejret generelt var ganske godt. Vi startede med tør varme omkring 35 grader midt på dagen og sluttede i regnskoven og ved kysten, hvor fugtigheden steg markant. Kun en enkelt regnbyge fik vi en eftermiddag, hvor vi sad i bussen, så det var kun forfriskende. Der var selvfølgelig aircon i bussen og vi fik hurtigt opdraget vor chauffør til at starte den, når han så, vi var på vej tilbage til bussen.

Bortset fra et halsonde og lidt maveproblemer klarede vi os rimeligt igennem turen.

Vores guide Robert Oteng-Appau var enestående. Altid første mand oppe og tit sidste mand i seng. Han fik stort set alt til at fungere og det er lidt af en præstation, når man rejser i Afrika. Han var godt lokalkendt og havde fint styr på fuglene og deres stemmer. Han var venlig og tålmodig og altid i godt humør. Robert har i øvrigt deltaget i DOF`s trækfugleprogram i Damongo og været i DK for at ringmærke bl.a. på Blåvand Fuglestation i 2010.

Robert Oteng-Appau. Birdfinders Tour Company

E-mail:rotengappau@yahoo.com

[javascript:popup_imp\('/imp/compose.php',800,650,'to=robertotengappau%40gmail.com&thismailbox=INBOX'\);](mailto:rotengappau@yahoo.com)

info@birdfinderstours.com

Fotografer:

Hvor intet andet er nævnt er Lars Falck fotograf.

Øvrige fortografer er Hans Harrestrup Andersen, Mads Elley og Alex Rosendal.

DOF trip to Ghana 2013

2. to 14. february 2013

Date	Lodging Place	Activity	Remarks
2. feb.	Burkina F.	Afrejse 06.35 Arrive 16.50	Up in the sky
3. feb.	Nazinga	Quagaduogou Area +Slow drive to Nazinga Afternoon in Nazanga	Dry savanna
4. feb.	Bolgatanga	Morning in Nazinga Afternoon around Tono,	Savanna and Lakes
5. feb.	Mole NP	Morning to the White River Drive to Mole.	Savanna and river Savanna and forest
6. feb	Mole NP	Mole	Savanna and forest
7. feb	Mole NP	Mole	Savanna and forest
8. feb	Bobiri	Early Morning birdwatching in Damongo Drive to Bobiri	Forest and lake Forest Birds
9. feb	Fosu	Morning Bobiri Afternoon Bird watching at Bonkuro	Forest Birds Yellow-headed Picathartes
10. feb	Kakum	Morning in Aboabo + Pra River Kakum	Rainforest
11. feb	Kakum	Canopy Walkway Cape Coast Afternoon Brenu Achinu/Kakum	Rainforest Coast
12. feb	Atewa	Canopy Walkway Drive to Atewa	Rainforest Savanna and woodland birds
13. feb	Shai Hills	Atewa Long drive to Shai Hills	Rainforest Savanna and woodland birds
14. feb		Shai Hills Late afternrnoon birdwatching at Sakumono Lagoon Departure for Denmark 21.30	Savanna and woodland birds Waterbirds



Kort: Udsnit af Vestafrika

Lokalitetsbeskrivelse

Burkina Faso

På den strækning, vi kørte fra Ouagadougou til grænsebyen, fik vi et godt indtryk af naturen. Stik syd for Ouagadougou lå der et vådområde, som vi desværre ikke fik studeret nærmere, men der er helt sikkert spændende fugle.

Det var slående, at der var mange træer langs vejen I modsætning til Ghana, hvor de har en uskik med at afbrænde marker og træer/buske. Især de store træer rummede mange fugle. Vi havde stort set vejen for os selv og selv i de store byer var der ringe trafik. Der var til gengæld heller ingen restauranter!

Vi stoppede ved et par vandhuller og der var bl.a. vadefugle, hejre mm.

Nazinga.

Denne store Nationalpark på ca. 1000 km² ligger ca. 50 km nord for grænsen til Ghana. Parken blev etableret af 2 canadiske brødre i 1999 bl.a. med det formål at kunne jage storvildt.

Der er flere gode veje i parken og der er adskillige vandhuller og floder med masser af fugle og dyr. Selve hotellet, der består af en restaurant og hytter, ligger ned til en lille sø, der byder på gode fugleobs. Ved en af de store søer i parken er der et skjul, man kan gå ned i og derfra bl.a. se elefanterne bade og drikke.

I Nazinga og Burkina Faso så vi adskillige arter, som vi ikke fik set i Ghana. Kan absolut anbefales.



Entrance to Nazinga.

Tono Dam

I det knastørre nord ligger Tono Dam, som er en opstemmet sø med stor vandflade og omkringliggende marker, rørskov mm. Umiddelbart syd for søen ligger der rismarker og agerland, der overrisles med vand fra søen.

Fra dæmningen kan en del af søen overskues og der ligger store mængder af ænder og gæs. Lang søens bred kan ses vadefugle og hejrer. Lige syd for dæmningen vokser nogle høje akaciatræer, der huser mange glansstære, vævere, sangere mm.

White Volta

Fra Bolgatanga kørte vi mod øst til White Volta. Fra broen gik vi langs floden og havde fornøjelsen af bl.a. Krokodillevogtere, duer, sejlere og rovfugle. Vandstanden varierer og har indflydelse på antallet af fugle.

Iøvrigt er der rige muligheder for at se spændende fugle i omegnen, som er ret tør.

Mole NP

Mole er Ghanas største nationalpark med et areal på over 5000 km². Selve lodgen ligger på en højderyg med udsigt over savannen og et par vandhuller.

Biotopen varierer, men er for størstedelen skovsavanne. Parken er rig på fugle og pattedyr. Et velordnet vejnet gør det nemt at køre rundt.

Det er tilladt at gå rundt med en bevæbnet guide.

Lige udenfor parken ligger der en nedlagt landingsbane, der bl.a. er kendt for sine Standard-winged Nightjar.

Damongo Forest

Damongo forest er en bufferzone op til Mole NP og består bl.a. af middelhøje træer. I det område har DOF gennem snart 5 år foretaget ringmærkning, punkttællinger samt vandfugletællinger i Damongo Dam.

Desværre sker der en voldsom fældning, afbrænding, jagt mm og en stor del af skoven er delvis ødelagt.

Vi fik en fantastisk forevisning af fugle af vore danske ringmærkere.



Ringmærkning (Mads Elley)

Bobiri Forest Reserve

Bobiri ligger ca. 50 km øst for Kumasi langs hovedvejen mod Accra.

Bobiri er først og fremmest kendt for sine 450 arter sommerfugle, men er samtidig en ornitologisk perle. Reservatet er ca. 10 km² stort og er regnskov.

Man kan overnatte og spise på den lille lodge, som man ofte har for sig selv.

Bobiri er iøvrigt et sommerfuglereservat med op til 425 forskellige sommerfugle



Bobiri Forest reserve

Picathartes site

Et par timer kørsel syd for Kumasi ligger byen Bonkuro og derfra kører man af en sandet vej til en lille landby. Derfra går man med en lokal guide gennem regnskoven til klippen, hvor Yellow-headed Picathartes yngler. Ud over dette brag af en fugl finder man mange andre regnskovsfugle.

Man betaler USD 25 til landsbyen, der til gengæld passer på skoven og fuglene.

Aboabo

En sandet vej danner grænsen mellem Kakum NP og de ubeskyttede skove mod nord. Skoven er mere åben end inde i selve nationalparken og det er derfor lettere at se fuglene. Det kan anbefales at starte sin tur fra øst med solen i ryggen.

Skoven er meget varieret med både høje træer, krat og lysninger.

Pra River

Lidt NV for Kakum ligger byen Twifo Praso ved bredden af floden Pra River. Hvis man stiller sig på broen er der gode muligheder for et par specialiteter så som Rock Pratincole og White-throated Blue Swallow mm.

Kakum NP.

Kakum NP er en af Ghanas store regnskove med et areal på 375 km². Kakum er først og fremmest berømt for sin "Canopy Walkway", den eneste i Afrika, som er et system af hængebroer, ophængt mellem store træer.

Omkring træerne er der etableret platforme, hvor op til 10 personer kan stå inkl. enkelte teleskoper. Fra platformene er der et fantastisk kik dels ud over skoven, dels op i trækronerne, hvor nogle af skovens mindste fugle holder til.

Har man ikke været i den vestafrikanske regnskov før, kan man få mellem 40 og 50 nye arter på et par timer.

Der er også mulighed for at fuglekikke på stier rundt i skoven, hvor man kan se de arter, der foretrækker at færdes nær skovbunden.



The canopy Walkway

Atewa Range.

Denne højderyg ligger sydøst for Kumasi, længde ca. 70 km. Toppen er forholdsvis flad og er for en stor dels vedkommende fredet. Der er kun en enkelt vej dertil og det kræver en stærk 4 hjulstrækker at køre derop. Ellers må man gå, hvilket tager et par timer. Toppen er bevokset med høje træer med et rigt fugleliv. Områdets specialitet er Blue-headed Bee-eater, men der er også mange andre spændende arter som bl.a. Mimba Flycatcher.

Der desværre ingen gode hoteller i området, så man må overnatte ca. en times kørsel derfra.

Shai Hills.

Kun 17 km fra Accra ligger dette kystsavannereservat med store klipper i op til 290 meters højde. Omkring klipperne ses bl.a. Lannerfalk, Rock Martin, Mocking Cliff Chat og Violet Turaco.

På savannen ses sjovt nok nogle af de samme arter, som også ses i det nordlige Ghana som f.eks. bynkefugl, biæder og Blue-bellied Roller.

I de små lunde med akaciatræer og lignende er der gode chancer for Swallow-tailed Bee-eater, Oriole Warbler mm

Det nærliggende Shai Hill Hotel kan ikke anbefales. Der var møgbeskidt.



Shai Hills (Alex R.)

Sakumono Lagoon

Lagunen har status af RAMSAR område og er et eldorado for vandfugle. Lagunen kan overskues fra kystvejen samt fra et resort på vestsiden og ligger iøvrigt få kilometre fra Accra.

Det vrirler med hejrer, ænder, vadefugle, terner og meget andet, som man ikke finder mange andre steder i Ghana.

Fra kystvejen kan man se ud over havet, hvor der kan være store flokke af terner samt kjoer og suler, der fortjener et nærmere studie.



DOF's trækfugleprogram i Ghana

DOF har siden januar 2008 været involveret i et naturbeskyttelsesprogram med fokus på europæiske sangfugle, der overvintrer i Ghana. Projektet er planlagt til at strække sig over en ti års periode og implementeres især i det nordlige Ghana ved Tonofloden og i Damongo skovreservat, der er en vigtig fuglelokalitet (IBA).

Antallet af en stor del af Danmarks trækfugle er i tilbagegang. Det kan skyldes forskellige ting som klimaforandringer, ødelæggelse af habitater i yngle- og overvintringsområder, trusler undervejs på deres trækruter mm. DOF's ringmærkninger og punkttællinger viser, at tilbagegangen er størst blandt de fugle der overvintrer i området syd for Sahara. Det drejer sig bl.a. om gulbug, havesanger, skovsanger, løvsanger, broget fluesnapper, og rødstjert.

Der er ikke megen viden om disse fugles overvintringslokaliteter. Vi ved kun lidt om, hvor de rent faktisk opholder sig, hvilke biotoper, de foretrækker, hvad de spiser, hvilke andre arter de konkurrerer med, og hvornår de ankommer til og forlader deres overvintringssteder. Denne viden er helt afgørende for at planlægge en fokuseret indsats for at stoppe tilbagegangen i antallet af fugle, der migrerer til Afrika.

Formålet med trækfugleprogrammet er dels at skabe bevidsthed og viden om trækfuglenes levede forhold under trækket og i deres vinterkvarterer i Afrika, dels at formidle den nye viden samt forhåbentligt at kunne forbedre forholdene for vore trækfugle i vinterkvarterne.

Programmet udføres i samarbejde med den lokale BirdLife partner Ghana Wildlife Society (GWS). Aktiviteterne omfatter monitorering af europæiske trækfugle til Ghana gennem ringmærkning og tælling såvel som naturgenoprettelse og beskyttelse. En vigtig del af programmet er at involvere et antal DOF-medlemmer, der er interesserede i at følge aktiviteterne og til at arbejde frivilligt enten i Danmark eller på ture til Ghana. En anden vigtig opgave er at træne medlemmer i GWS i at deltage i disse aktiviteter.

Arbejdet giver med tiden større indsigt i de danske sangfugles vigtigste overvintringshabitater, således at tiltag til at beskytte naturen kan målrettes til de givne habitater og geografiske områder. Arbejdet udføres i tæt samarbejde med andre BirdLife partnere, der allerede er engageret i Vestafrika, og med Københavns Universitet og det danske naturhistoriske museum.

Det forventes, at de indsamlede data om fugle, biotoper, trusler og klimatiske betingelser kan danne baggrund for den viden, der er nødvendig for effektivt at stoppe tilbagegangen for trækfuglene.

Dagsrapport

**2. februar 2013 Day 1.
Cph. to Ouagadougou.**

Tidligt op og afsted via Brussel med Bruxellesl Airlines til Ouagadougou. Planmæssig ankomst 16.50. Vi blev hentet i lufthavnen og kørt til vort nærliggende hotel Residence Alice, hvor vi mødte vor guide Robert og chauffør Kwame.

Turens første art blev Laughing Dove, som Carl Axel havde gættet på

Fra hotellets tag så vi solnedgangen over byen, men de bestilte øl udeblev. Welcome to Africa.

Bird of the day: laughing dove

Mammal of the day: Ged

New species: 7

Trip total: 7



Yellow-billed Kite

3. februar 2013 Day 2 Ouagadougou to Nazinga NP.

I tussmørketklokken lidt over 6 kørte vi ud af byen og bl.a. forbi et stort vådområde, som vi desværre ikke stoppede ved. Andre kan med fordel prøve.

Vi stoppede ved flere vandhuller langs hovedvej 15, hvor der bl.a. stod **Greenshank, Ruff, Little Ringed Plover, Green, Wood and Common Sandpiper.**

En fotogen **Abyssinian Roller** lod sig fotografere på tæt hold, medens **Senegal Parrots og Rose-ringed Parakeets** sås overflyvende.

Vi havde gennem Naturama hyret en guide, men han skuffede fælt, da han ikke havde kendskab til ret meget.

Et stop med nogle småfugle ved vejkanten gav pludselig **Village og Camaroon Indigobirds, Yellow-fronted Canary, White-rumped Seedeater, Purple og Chestnut Bellied Glossy Starling, Bush Petronia, White-billed Buffalo Weaver og Red-billed Firefinch.**

Interessant var det at se, at der er meget mere skov/træer i Burkina Faso end i Ghana. Forklaringen kan være, at man i Burkina Faso ikke har tradition for at brænde græs og buske af.

Fra Po drejede vi ind til Nazinga NP og allerede ved indgangen var der spændende fugle at se. Flere **Little Green Bee-eaters** sås sammen med **Cinnamon-breasted Buntings.**

Turen gennem parken til hotellet var fuld af stop. Ved et vandhul var der **Red-billed og Red-headed Quelea, Red-cheeked Cordon-bleu, Hammerkop, Western Grey Plantain-eater, Olive Baboons og varaner.**



Nazinga's elefanter(Mads Elley)

Op at stå på bremsen, da vi opdagede 3 **Ground Hornbills**, medens speederen blev trykket i bund, da en hunelefant med unge foretog et trompeterende skinangreb mod os.

På køreturen sås også **European Bee-eater 2, Little Bee-eater, Red-billed and Grey Hornbills, Namaqua Doves, Owambo Sparrowhawk, Bateleur, Grasshopper Buzzard og Red-necked Buzzard.**

Ved et vandhul, der hedder Akwazèna (?), kan man via et betonhus gå ned i et skjul ved vandkanten. Fed udsigt over søen med **Senegal Thick-knee, Malachite og Pied Kingfisher, Pied-winged Swallows 6, Red-winged Warbler, Red-winged Pytilia, Striated Heron og masser af Red-throated Bee-eater.**



Red-throated Bee-eater

Vel ankommet til Nazinga Hotel styrede vi direkte ned til søen foran restauranten for at udnytte solens sidste stråler.

På den modsatte bred kom Waterbucks og Bushbucks ned for at drikke. Der var **Woodland og Grey-headed Kingfishers, Senegal Thick-knee, Painted Snipe** og da det var næsten mørkt kom 4 **Four-banded Sandgrouse** for at drikke. Vi kunne tilmed høre dem kalde.

Vi blev indkvarteret i små hytter med eget toilet, bad og fan. En **Greyish Eagle Owl** sagde “Good Night” og i løbet af natten hørtes flere **African Scops Owls og plettede hyæner.**

Bird of the day: Red-throated Bee-eater

Mammal of the day: Elefant

New species: 103

Trip total: 110

4. februar 2013 Day 3

Nazinga NP. – Tono Dam - Bolgatanga

I dagens første lys stod de fleste af os ved søens bred. Flokke af **Long-tailed Glossy Starling**, **Senegal Parrots** og **Rose-ringed Parakeets** fløj over os. I træerne sås bl.a. **Afrika Golden Oriole**, **Northern Puffback**, **Silverbill**, **Senegal Batis** og **Red-throated Bee-eater**. Ved restauranten sås mange småfugle bl.a. **Pied Flycatcher** og **Redstart**. En stor flok svaler sås over søen i modlys, men det lykkedes at bestemme en del af den til **Red-chested Swallow** og **Plain Martins**.

Efter morgenmaden fik vi en af parkens rangere med os. Han viste os ned til floden og nogle vandhuller, hvor der var masser af væverfugle bl.a. **Vitelline Weaver** og **Red-billed Quelea**. En **Mottled Spinetail** gav opvisning og **Scarlet-chested** og den smukke **Pygmy Sunbird** sås. Der var også **Black Winged** og **Yellow-mantled Bishop**, **Stone Partridge**, **Dark Chanting Goshawk**, **Fox Kestrel**, **White-winged Black Tit**, **Mosque Swallow**, **Yellow-bellied Eremomela** og **Chestnut-backed Sparrow-Lark**. På pattedyrsfronten sås den smukke **Roan Antilope**, adskillige **Warthogs** og **Bushbucks**.

På turen ud af parken stoppede vi igen ved Akwazèna (?), hvor vi nød **Giant Kingfisher**, **Black Crake**, **Senegal Coucal** og et par elefantflokke.

Turen over grænsen til Ghana gik næsten smertefrit. Husk det gule vaccinationskort, der skulle forevises.

Inde i Ghana slog det os med det samme, at skovsavannen var afbrændt og der var meget få fugle.

Om eftermiddagen besøgte vi Tono Dam, hvor DOF tidligere ringmærkede og udførte punkttællinger. I vandet sad en **Booted Eagle** og kølede kroppen, en **Marsh Harrier** patruljerede bredden, og flere hvide hejrer sås i rørskoven. Store flokke af **White-faced Whistling Ducks** sås på og over vandet, mindst 8000. Også flokke af **Spur-winged Goose** sås.

I området sås også **Wood Shrike**, **Bruce`s Pigeon**, **Lesser** og **Greater Blue-eared Starling**, **Bronze-tailed** og **Chestnut-bellied Starling**, **Tree Pipit**, **Great Spotted Cuckoo**, **Green Sandpiper** and **Black-winged Stilt**.

Det var næsten mørkt, da vi nåede vort hotel Tree Crystal i Bolgatanga.

Bird of the day: African Eagle

Mammal of the day: Roan Antilope

New species: 27

Trip total: 137

5. februar 2013 Day 4
Bolgatanga- White River- Bolgatanga-Mole NP

Efter en tidlig morgenmad forlod vi vort hotel og kørte mod NØ. Fra bussen sås **Grey-rumped Swallow** og da vi fandt **Piapiac** standsede bussen, så fotografene kunne skyde løs. Langs vejen sås **Abyssinian Roller**, en koloni af **White-billed Buffalo Weaver** samt **Yellow-billed Oxpecker** på ryggen af køer.



Abyssinian Roller (Alex R.)

Vores mål var White Volta River, som var ca. 200 meter bred med store sandbanker. Her så vi en af turens ønskearter **Egyptian Plover** med ikke mindre end 11 ex. De gav opvisning og kameraerne glødede.

På en sandbanke stod både **Speckled Pigion** og **European Turtle Dove**. Endvidere sås **Wire-tailed Swallow**, **Booted Eagle** og **Mourning Dove**.

Vi hentede vor bagage på hotellet i Bolga og begav os ud på en lang køretur til Mole.

På vej sydpå opdagede Mads pludselig en større fugl og vi væltede ud af bussen. Ganske rigtig: en smuk **Blue-bellied Roller**.

Det var efterhånden blevet mørkt, da vi nærmede os Damongo. Der sås et par natravne på vejen og en **Greyish Eagle Owl** fløj op. Vi stoppede i håb om, den sad fremme. Det gjorde den ikke, men i stedet så vi øjnene og omridset af en **Senegal Galago**.

Vi var først fremme ved hotellet i Mole kl. 21, så det blev sen aftensmad.

Bird of the day: Egyptian Plover

Mammal of the day: Senegal Galago.

New species: 27

Trip total: 164

6. februar 2013 Day 5 Mole NP

Morgenen startede dramatisk, idet en lille **mus** havde forvildet sig ind på hotellets restaurant. Den flygtede ud over kanten til svømmebassinet og vi måtte fiske den op med et net.

I Mole NP. skulle vi have en bevæbnet vagt med os. Det blev Sack, der samtidig er parkens bedste fuglekikker.

Nedenfor hotellet gik vi en morgentur, hvor vi bl.a. ledte efter Pels Fishing Owl, men uden held. Vi så dog mange andre gode arter. **Oriole-warbler, Wolly-necked Stork, White-crowned Robin-Chat, Gonolek, Grey og Fine-spotted Woodpecker, Lavender Waxbill, Willow Warbler, Pied Flycatcher og Little Weaver.**



Mole NP (Alex R.)

Morgenmaden hentede chaufføren, medens vi obsede fra et lille tårn ved bredden af en sø. Her sås **Black-headed Heron, Senegal Thick-knee, Patas Monkey, Bushbuck og Warthog.**

Efter frokost og et eftermiddagshvil kørte vi rundt i parken og så bl.a. **Sun Lark, Martial Eagle og African Hobby.**

Vi sluttede dagen med at høre 4 **African Scops Owls og Standard-winged Nightjar** samt en **Longtailed Nightjar** på vejen i lygternes skær.

Bird of the day: Gonolek
Mammal of the day: The mouse
New species: 29
Trip total: 193

7. februar 2013 Day 6 Mole NP

Vi kørte til en lille flod udenfor parken, hvor der bl.a. blev set **Shining Blue Kingfisher**, **Chestnut-crowned Sparrow-Weaver** og **Pearl-spotted Owlet**. Ved en nærliggende sø sås **Purple Heron**, **Cabanis`s bunting**, og mange sejlere herunder **White-rumped Swift**.

Til frokost havde vi inviteret de 3 frivillige danske fra DOF`s trækfugleprogram i Damongo. De fortalte om deres arbejde og bagefter kørte de med os på eftermiddagens tur i Mole NP.

Der blev set mange gode arter bl.a **Exclamatory Whydah i pragtdragt**, **Suns Lark**, **Whinchat** og **Brown-crowned Tchagra**. Vi søgte længe efter **Forbes`s Plover** og i sidste øjeblik lykkedes det.



Standard-winged Nightjar

Da det blev mørkt kørte vi til en nedlagt landingsbane, hvor et par **Standard-winged Nightjars** gav en fantastisk eksotisk flyveopvisning, hvor hannens lange flagrende standartder tydeligt kunne ses."

Bird of the day: Forbes`s Plover/ Standart-winged Nightjar

Mammal of the day: Lake Chad Buffalo

New species: 19

Trip total: 212

8. februar 2013 Day 7 Mole NP – Damongo – Bobiri

Vi forlod Mole NP tidligt og kørte til Damongo for at møde det dansk/ghanesiske team. De havde været på første netømning, da vi kom og havde fanget ikke mindre end 30 fugle fordelt på 14 arter.

Ved ringmærkningsbordet blev fuglene en efter en taget op af poserne, vejede, målt, tjekket for fedt og muskler samt fotograferet.

Det var helt fantastisk at se de mange fugle på så tæt hold. Ikke mindst de farvestrålende fugle blev flittigt fotograferet af os.

Næste netrunde gav 10 nye fugle. Samlet set så vi følgende:

Willow Warbler 9, Pied Flycatcher 3, Splendid Sunbird 1, Scarlet Sunbird 3, Singing Cisticola 3, Short-winged Cisticola 1, Red-faced Cisticola 2, Grey-backed Camaroptera 2, Orange-cheeked Waxbill 1, Red-cheeked Cordon-bleu 2, Tawny-flanked Prinia 1, Blue-headed Wood Dove 1, Common Bulbul 1 og Paradise Flycatcher 1. (female)



Paradise Flycatcher

Efter afsked med Teamet kørte vi til Damongo Dam, hvor vi gik en tur langs søen. Eller rettere det der var tilbage af søen. Vandstanden var faldet 1 meter siden sidste år. Årsagen var muligvis manglende nedbør, men også at de kinesiske entreprenører hentede vand i søen.

Da der ikke var meget vand i søen og de våde enge var væk, var der heller ikke mange fugle. Mest interessant var en **Dorst Cisticola**, som var meget vanskelig at få at se.

Turen til Kumasi og Bobiri Forest Reserve blev lang og vi var først fremme kl. 21.00 ved det lille, hyggelige hotel midt inde i reservatet.

Bird of the day: Blue-headed Wood Dove

New species: 18

Trip total: 230

9. februar 2013 Day 8 Bobiri Forest Reserve – Bonkuro- Assin Fuso

Selv om det først lysner omkring 06.10 er flere af os tidligt oppe, men desværre for sent til både **Nkulengu Rail** og **African Wood Owl**, som Robert har hørt tidligere kl. 05.45.

Da det lysnede var vi klar i dette lille smukke reservat, der rummer ikke mindre end 425 forskellige arter sommerfugle. Det er vort første møde med regnskoven og mange nye arter vælter ind på turlisten. **Olive Sunbird, Olive-bellied Sunbird, Blue-throated Roller, Grey Parrot, Red-fronted Parrot, Red-billed Helmet-Shrike, Ahanta Francolin hørt, Piculet hørt og set, W. Bronze-naped Pigeon, Copper-tailed Glossy Starling, Fire-bellied Woodpecker** og mange andre.

Ved 11 tiden måtte vi desværre forlade Bobiri og køre mod Bonkuro.



Picathartes (Mads Elley)

Jordvejen slutter i landsbyen Bonkuro og derfra er der ca. 45 minutters gang gennem frodig regnskov til klippen, hvor den **Gulhovede Kragedrossel – Picathartes**- holder til. Det var udenfor yngletiden, men fuglene kommer heldigvis til rederne for at overnatte. Stille sidder vi og venter på deres ankomst. Det er en meget sky fugl, så det kræver vi forholder os roligt. Medens vi venter høres **Rufous-sided Broadbill, W. Nicator, Icterine Greenbul og Red-rumped Tinkerbird**. Endelig dukker **Kragedroslerne** frem. Hele 4 ser vi og tiden står ligesom stille. Det er en sær fugl og der er noget forhistorisk over den.

Vi listede forsigtigt væk igen efter ca. 15 min. for ikke at forstyrre fuglene. Tilbage i landsbyen uddelte nogle af os kuglepenne, gule blokke, kiks mm til børnene.

Vi fortsatte vor kørsel sydpå og overnattede i Assin Fosu på et kedeligt hotel, dog var restauranten udmærket og deres øl kolde.

Bird of the day: Picathartes

New species: 34

Trip total: 264

10. februar 2013 Day 9 Aboabo – Pra River – Kakum NP.

I dagens første lys kører vi ad små veje ind i den nordligste del af Kakum NP kaldet Aboabo. En grusvej danner grænsen mellem nationalparken og de dyrkede plantager.

Vi havde medlys og vandrede ad vejen med mange stop for at se og lytte. Der er høje træer og tæt regnskov på begge sider og vi hørte og så bl.a. **Blue-headed og Black-throated Coucal, Grey and Kemps Longbill, 4 arter Barbets, Maxwell`s og Yellow-mantled Weavers, Cassin`s, Black og Sabine`s Spinetails, Sunbirds, Woodpeckers, Malimbos, Greenbills, 2 af vore hjemlige Skovsangere samt Hvepsevåge 1, Mursejler 200 plus 50 Landsvaler.**

Efter et par timer på denne klasselokalitet kørte vi til en lille by, hvor en vej krydser Pra River. Som forventet så vi **Rock Pratincole og White-throated Blue Swallow**. Desværre var der et større sandarbejde i gang nord for broen, så et par specialiteter missede vi. En lille overraskelse var en **African Emerald Cuckoo**, der fløj under broen.

Frokosten blev indtaget i restauranten på Hans Cottage Botel, hvor vi skulle bo de næste 3 nætter. Restauranten ligger på en ø i en lille sø, hvorfra vi kunne se væverkolonier med **Orange Weaver** og **Village Weaver**.



Village Weaver.

Vi slappede af i middagsheden, inden vi kørte til Kakum NP og begav os ud på den berømte Canopy Walkway, Afrikas eneste. Broen gyngede og svajede, og ikke alle deltagere var lige begejstrede, men alle blev rigeligt belønnet, da vi endelig nåede helt ud

The Canopy Walkway er ca. 350 lang og består af 5 broer, der er forbundet via enorme træer. Omkring hver træ er der etableret en platform med plads til 10-12 personer incl. et par telescooper.

De første par deltagere, der nåede frem til den yderste platform, nåede at se en **Long-tailed Pangolin**. Da det var sidst på dagen, var der forholdsvis stille, men vi fik set **Brown-casqued Hornbill 2, Velvet-mantled Drongo, Finch-flycatcher Thrush** samt **hørt White-crested Hornbill**.

Det var næsten mørkt, da vi nåede tilbage til parkens Headquarter, men ikke mere mørkt end vi så en

Større fugl flyve op og sætte sig på en gren i det nærmeste træ. Der kom hurtigt spot på fuglen go til alles overraskelse var det en **White-crested Tiger-Bittern**. Wow!

Bird of the day: White crested Tiger Bittern

Mammal of the day: Lowe's monkey

New species: 40

Trip total: 304

11. februar 2013 Day 10 Kakum NP

Det begyndte at lysne, da vi bevægede os ud på The Canopy Walkway og fuglene var så småt begyndt at synge. De første, der nåede ud på den yderste platform, så et **skældyr** i et gammelt træ, hvorefter den muligvis smuttede ind i et hul i stammen. Vi hørte tydeligt **Chocolate-backed Kingfisher**, men så den ikke. Vi stillede os alle på den yderste platform og fandt kaffen og de obligatoriske omeletter frem. Endelig kom der gang i fuglene og de væltede frem med bl.a. **Forest redwinged Starling, Olive Longtailed Cuckoo, Preuss` Weaver, Tit Hylia, Blue Cuckoo-Shrike, Black Sparrowhawk i display, Tambouline Dove, Starlings, Sunbirds, Spinetails** og mange andre.

Ved 9 tiden forlod vi så småt skoven og så **Forest Robin, Chestnut Wattle-eye og Bioko Batis**. Vi drak en kop kaffe, lidt juice og spiste ved Hovedkvarterets lille restaurant, indtil Robert forstyrrede os med en **Black Bee-eater**, som han havde fundet ved parkeringspladsen. En drømmeart for mange af os. Der var i øvrigt også **Rosy og White-throated Bee-eaters** i omegnen.

Frokosten blev indtaget på Hotel Oase, lige vest for forstet i Cape Coast. Beliggende helt ud til stranden og Guinea bugten dannede det en perfekt ramme til grillede hummere, pizzaer, kolde drinks og havfugle.



Gulf of Guinea (Alex R.)

Skoperne var rettet mod horisonten og en strøm af **Royal Terns, Mellemkjover, Almindelige Kjover og Rørskarver** fløj forbi. Havets største overraskelse var en **Cape Gannet**, der langsomt trak mod vest.

Sidst på dagen kørte vi til Brenu, som er en tør kystsavanne med spredte træer og krat. Dagens højdepunkt var, da over 300 **Preuss` Swallows** i samlet flok gik til overnatning under en lille bro.

Bird of the day: Preuss` Swallow/Black Bee-eater

Mammal of the day: Long-tailed Pangolin

New species: 30

Trip total: 334

12. februar 2013 Day 11 Kakum NP- Atawa Range

For anden dag i træk startede vi morgenen på The Canopy Walkway, et Hotspot man ikke kan blive træt af. Vi genså mange af fuglene fra dagen før, men nye arter kom også til. Bl.a. sås **Cassin`s Hawk-Eagle** og **Congo Serpent Eagle** (kun hørt), fra den yderste platform. Lidt senere rykkede vi til en platform tættere på udgangspunktet, så vi kom ned i et lavere niveau. Det gav en del af de små arter såsom **Chestnut-crowned Flycatcher**, **Green og Little Sunbird**, **Melancholy Woodpecker**, **Yellow-throated Greenbull**, **Ansorge`s Greenbull**, **Cameroon Sombre Greenbull** og **Forest Francolin**.

Vi tog en slapper og en kop kaffe ved Hovedkvarterets lille restaurant, inden vi kørte tilbage til Hans Cottage Hotel og pakkede. Vi fik restauranten til at lave en frokostpakke til os og den spiste vi på vej østpå mod Atewa Range. På vejen stoppede vi ved Lilly Point, men desværre var søen ved at blive drænet, så væk er de Små Lappedykkere, Bladhønsene og alt det andet. Trist. Frokosten spiste vi ved Wenniba Plains. Desværre var det midt på dagen og fuglenes aktivitet var lav. Det lykkedes os dog at se **Marsh Tchagra** og **Moustached Warbler**.



Coastal savanna (Alex R.)

Vi kørte op lang Atawa Range og gjorde et par tilfældige stop. Et af stederne gik vi ind af en lille grusvej og til vort held kom 3 **White-crested Hornbills** forbi. Vi så dem rigtig godt.

Vort hotel Blue Mint var ok, men ligger desværre næsten en times kørsel fra opkørslen til Atewa Range.

Bird of the day: White-crested Hornbills

New species: 17

Trip total: 351

13. februar 2013 Day 12 Atewa Range – Shai Hills

Vi skulle mødes med en chauffør og hans 4 hjulstrækker kl. 06.00 ved opkørslen til Atewa Range, men han var selvfølgelig forsinket. Og ham med nøglen til porten var der selvfølgelig heller ikke. Robert måtte arbejde hårdt, så alt lykkedes til sidst. Desværre kunne vi kun være 5 plus chauffør i bilen, så vi opdelte os i 2 hold.

Hold 1 kørte først op og så 2 flotte **Blue-headed Bee-eaters**, men de var væk, da hold 2 nåede op.

Hold 2 hyggede sig på grusvejen og så bl.a. **Didrick- og Emerald Cuckoo, Puvel`s Illadopsis, Black-necked- og Vieillot`s Weavers.**



Blue-headed bee-eater

Samlet på toppen ledte vi forgæves efter Blue-headed Bee-eater. Heldigvis var der meget andet at se på bl.a. **Little Grey Flycatcher, Violet-backed Hylia, Baumann`s Greenbull, Black-capped Illadopsis, Shining Drongo, Red-cheeked Wattle-eye plus mange Greenbulls, Sunbirds** mm.

Sidst på dagen nåede vi frem til Shai Hills hotellet, der desværre var i elendig stand og møgbeskidt. Det kan ikke anbefales.

Bird of the day: Blue-headed Bee-eater

New species: 19

Trip total: 370

14. februar 2013 Day 13

Shai Hills Sukomo Lagune-lufthavnen

Vi spiste tidlig morgenmad, inden vi kørte den korte tur til Shai Hills. Vi startede med en gåtur langs højderyggen, hvor vi først spottede en bavian, der sad vagt på en klippetop. **Spotted Flycatcher** var et gensyn med vores danske ynglefugl. Vi ledte efter **Mocking Cliff Chat** og det lykkedes at se 2 på klippesiden. Et par **Lanner Falcons** gav opvisning og vi tror, vi fandt deres redehylde.

Vi så fine **Violet Turacos, Oriole Warbler, Pale Flycatcher, Long-crested Eagle, Short-toed Snake Eagle, Lead-collared Flycatcher, Northebern Black Flycatcher, Brown-crowned Tchagra, Northern Puffback** og mange af de almindelige savannearter, som vi også så i Nazinga og Mole.

I den meget tørre del af Shai Hills fandt vi **Whinchat, Blue-bellied Roller, Plain-backed Pipit** og en surprise i form af en **Senegal Plover. (Lesser Black-winged Lapwing)**.

Efter frokost på vort hotel kørte vi til havet og langs med det mod Accra. Desværre var trafikken voldsom og det gik meget langsomt, så vi havde ikke meget tid, da vi endelig nåede frem til Sakumo Lagunen. Den kogte ellers med vadefugle og vi så bl.a. **Whimbrel, Eurasian Curlew Curlew Sandpiper, Dunlin, Spotted- og Common Redshank, Common Snipe og Black-winged Stilt**. Også mange hejre sås bl.a. **Intermediate, Little, Great, Black og Western Reef**. En **Yellow Longclaw** sås i sangflugt over et par øer.

Over havet på den anden side af vejen sås i hundredvis af terner, desværre på stor afstand, men der var både **Common, Sandwich og Royal Terns samt 2 Cape Gannet** ungfugle.

Sidste del af turen gik gennem Accra`s trafikpropper, men vi nåede lufthavnen rettidigt.

Bird of the day: Mocking Cliff Chat

Mammal of the day: Kob

New species: 29

Trip total: 399

Birdlist. Total species recorded: 399

E = Upper Guinea Endemic, NE = Upper Guinea Near Endemic.

Gannets and boobies Sulidae

Cape Gannet *Sula Capensis*

1 ex. adult seen over the see from Cape Coast (Hotel Oasis)

2 ex. juvenile (brownish) seen over the see opposite Sakamono Lagune

Guineafowl Numididae

Helmeted Guineafowl *Numida meleagris*

10 ex. Kazinga NP., 10 ex. daily in Mole NP., 4 ex. in Shai Hills.

Pheasants, Fowl & Allies Phasianidae

Stone Partridge *Ptilopachus petrosus*

Common in Kazinga, Shai Hills and Mole NP.

Forest Francolin *Peliperdix lathamii*

Heard near canopy walkway in Kakum NP

Ahanta Francolin (NE) *Pternistis achantensis*

Heard several times in Bobiri.

Double-spurred Francolin *Pternistis bicalcaratus*

Common in Kazinga, Shai Hills and Mole NP.

Ducks, Geese & Swans Anatidae

White-faced Whistling Duck *Dendrocygna viduata*

At least 8000 ex. at Tono Dam and about 50 ex. at Sakamono Lagoon.

Spur-winged Goose *Plectropterus gambensis*

180 ex. at Tono Dam.

Storks Ciconiidae

Woolly-necked Stork *Ciconia episcopus*

3 ex. in Nazinga, 1 ex. in Mole NP.

Saddle-billed Stork *Ephippiorhynchus senegalensis*

1 ex. was seen in Mole NP (Hans A.)

Ibises, Spoonbills Threskiornithidae

Hadada Ibis *Bostrychia hagedash*

Common in Kazinga and in Mole NP.

Hérons, Bitterns Ardeidae

White Crested Tiger Bittern

Fantastic vue of 1 ex. near the Headquarter in Kakum NP. Flew up into a tree and sat in the torchlight for 5 minutes.

Black-crowned Night Heron *Nycticorax nycticorax*

3. x in Mole NP.

Striated Heron *Butorides striata*

One was seen in Nazinga, 1 ex. in Mole,

Squacco Heron *Ardeola ralloides*

One was seen in Nazinga, 1 ex. in Mole,

Western Cattle Egret *Bubulcus ibis*

Common bird in Burkina Faso and Ghana

Grey Heron *Ardea cinerea*

Recorded at most wetland localities on tour

Black-headed Heron *Ardea melanocephala*

1 ex. in Mole near the waterhole in front of the hotel

Purple Heron *Ardea purpurea*

1 ex. in a small lake just outside Mole NP

Great Egret *Ardea alba*

3 ex. were seen at Sakamono Lagoon.

Intermediate Egret *Egretta intermedia*

2 ex. at Sakamono Lagoon.

Black Heron *Egretta ardesiaca*

15 ex. at Sakamono Lagoon.



Western Reef Egret

Little Egret *Egretta garzetta*

Common at most wetlands

Western Reef Egret *Egretta gularis*

1 ex. in Lilla Pond, 2 ex. at Sakamono Lagoon.

Hamerkop Scopidae

Hamerkop *Scopus umbretta*

5 ex. near lakes in Nazinga, 2 ex. in Mole NP. 2 ex. Sakamono Lagoon



Hamerkop

Cormorants Phalacrocoracidae

Reed (Long-tailed) Cormorant *Microcarbo africanus*

Common in lakes in Nazinga, Mole NP, Tono Dam, White Volta and Sakamono Lagoon.
2 ex. flying by Cape Coast.

Kites, Hawks, Eagles Accipitridae

European Honey Buzzard *Pernis apivorus*

1 ex. over Aboaba, 1 ex. over Atawa Range

Black-winged (-shouldered) Kite *Elanus caeruleus*

Common savannabird. We saw 5 ex..

Yellow-billed Kite *Milvus aegyptius*

Seen nearly every day

Palm-nut Vulture *Gypohierax angolensis*

2 ex. in Mole NP, 2 ex. seen from canopy walkway

Hooded Vulture *Necrosyrtes monachus*

Common

White-backed Vulture *Gyps africanus*

2-3 ex. in Mole NP. One in a nest.



Palm-nut Vulture

Short-toed Snake Eagle *Circaetus cinerascens*

2 ex. in Shai Hills

W. banded Snake Eagle *Circaetus cinerascens*

1 ex. in Nazinga NP.



W. banded Snake Eagle

Bateleur *Terathopius ecaudatus*

A bird that is mostly seen in larger parks and reserves, we had daily sightings in Mole NP.



Bateleur

Congo Serpent Eagle *Dryotriorchis spectabilis*

Just heard from the canopy walkway

Western Marsh Harrier *Circus aeruginosus*

2 ex. Burkina Faso, 1.ex. Tono Dam, 1 ex. near White Volta, 2 ex. over Sakomono Lagoon

African Harrier-Hawk *Polyboroides typus*

2 ex. in Kakum NP, (canopy walkway)

Dark Chanting Goshawk *Melierax metabates*

1 ex. in Nazinga, 1 ex. Tono Dam.

Gabar Goshawk *Micronisus gabar*

1 ex. Damongo Dam.

Shikra *Accipiter badius*

2 ex. Nazinga, 2 ex. Mole NP, 1 ex. Shai Hills,

Black Sparrowhawk *Accipiter melanoleucus*

1 ex. in Bobiri FR.

Owambo Sparrowhawk *Accipiter Owampensis*

1 ex. in Nazinga

African Goshawk *Accipiter tachiro*

1 ex. in Bobiri FR.

Long-tailed Hawk *Urotriorchus macrourus*

1 ex. in display Bobiri FR.

Lizard Buzzard *Kaupifalco monogrammicus*

1 ex. in Nazinga, 1 ex. Mole NP.

Grasshopper Buzzard *Butastur rufipennis*

Common savannabird

Red-necked Buzzard *Buteo auguralis*

Common savannabird

Wahlberg's Eagle *Hieraaetus wahlbergi*

1 ex. Mole NP.

Booted Eagle *Hieraaetus pennatus*

1 ex. took a bath in Tono Dam, 1 ex. near White Volta, 1 ex. Mole NP.

Ayres's Hawk-Eagle *Hieraaetus ayresii*

3 ex over Atawa Range. Seen and heard.

Cassin's Hawk-Eagle

3 ex over Kakum NP, (canopy walkway), 1 heard in Atawa Range

Long-crested Eagle *Lophaetus occipitalis*

1 ex. in Shai Hill

Martial Eagle *Polemaetus bellicosus*

2 ex. Mole NP.

Falcons Falconidae

Common (Eurasian) Kestrel *Falco tinnunculus*

1 ex. near Pra River, 1 ex. in Accra.

Fox Kestrel *Falco alopex*

1 ex. in Nazinga.

Grey Kestrel *Falco ardosiaceus*

1 ex. in Nazinga, 1 ex. Mole NP.

African Hobby *Falco cuvierii*

2 ex. in Nazinga

Lanner Falcon *Falco biarmicus*

A pair at Shai Hills on the rocks, 1 ex. over Nazinga.

Flufftails Sarothruridae

White-spotted Flufftail *Sarothrura pulchra*

1 ex. heard calling in Bobiri FR.

Rails, Crakes & Coots Rallidae

Nkulengu Rail *Himantornis haematopus*

Robert heard 1 ex. calling at Bobiri FS at 05.15.

Black Crake *Amaurornis flavirostra*

1 ex. in Nazinga, 2 ex. in Mole NP.

Thick-knees Burhinidae

Senegal Thick-knee *Burhinus senegalensis*

2-3 ex. in Nazinga seen and heard. 2 ex. in Mole NP.



Senegal Thick-knee

Stilts, Avocets Recurvirostridae

Black-winged Stilt *Himantopus himantopus*

4 ex. in Tono Dam, 15 ex. at Sakamono Lagoon.

Plovers Charadriidae

Spur-winged Lapwing *Vanellus spinosus*

Common near water

Senegal Lapwing *Vanellus lugubris*

1 ex. seen very well close to the bus in Shai Hills.

African Wattled Lapwing *Vanellus senegallus*

2 ex at Sakamono Lagoon, 2 ex at Damongo Dam

Common Ringed Plover *Charadrius hiaticula*

4 ex. at Sakamono Lagoon.

Little Ringed Plover *Charadrius dubius*

2 ex. at a small lake in Burkina Faso

Forbes's Plover *Charadrius forbesi*

1 ex. was hard to find in Mole NP.

Egyptian Plover Pluvianidae

Egyptian Plover *Pluvianus aegyptius*

11 ex of this magnificent bird was seen and photographed on the White Volta.

Jacanas Jacanidae

African Jacana *Actophilornis africanus*

Common near water

Sandpipers, Snipes Scolopacidae

Common Snipe *Gallinago gallinago*

2 ex. seen flying over Sakamono Lagoon.

Greater painted Snipe *Rostratula benghalensis*

1 ex seen in the late afternoon near Nazinga Holtel

Whimbrel *Numenius phaeopus*

1 ex. at Sakamono Lagoon.

Eurasian Curlew *Numenius arquata*

1 ex. at Sakamono Lagoon.

Common Redshank *Tringa totanus*

5 ex. at Sakamono Lagoon

Common Greenshank *Tringa nebularia*

Common near water

Green Sandpiper *Tringa ochropus*

Common near water

Wood Sandpiper *Tringa glareola*

Common near water

Common Sandpiper *Actitis hypoleucos*

Common near water

Temminck's Stint *Calidris temminckii*

1 ex. at Sakamono Lagoon.

Dunlin *Calidris alpina*

1 ex. at Sakamono Lagoon

Curlew Sandpiper *Calidris ferruginea*

15 ex. at Sakamono Lagoon.

Ruff *Philomachus pugnax*

1 ex. at a small lake in Burkina Faso

Couriers, Pratincoles Glareolidae

Rock Pratincole *Glareola nuchalis*

1 ex.. on the Pra River near Twifo Praso.

Skuas Stercorariidae

Pomerine Skua *Stercorarius pomarinus*

12 ex. seen over the see from Cape Coast (Hotel Oasis)

5 ex seen over the see opposite Sakamono Lagune

Arctic Skua *Stercorarius paraciticus*

2 ex. seen over the see from Cape Coast (Hotel Oasis)

2 ex seen over the see opposite Sakamono Lagune

Gulls, Terns & Skimmers Laridae

Royal Tern *Thalasseus maximus*

About 30 seen in front of Restaurant Oasis in Cape Coast and more than 300 over the sea near Tempa.

Sandwich Tern *Sterna sandvicensis*

2 ex. seen over Sakamono Lagoon.

Common Tern *Sterna hirundo*

2 ex. seen over Sakamono Lagoon.

Lesser Black-backed Gull *Larus fuscus*

1 juv. seen in front of Restaurant Oasis in Cape Coast

Sandgrouse Pteroclididae

Four-banded Sandgrouse *Pterocles quadricinctus*

4 ex. came down to drink at the lake in front of Nazinga Hotel

Pigeons, Doves Columbidae

Common (Rock) Pigeon *Columba livia*

Seen in towns

Speckled Pigeon *Columba guinea*

Commonly in Ghana

Afep Pigeon *Columba unicincta*

One heard calling at Aboabo.

[Western] Bronze-naped Pigeon *Columba iriditorques*

One heard calling at Bobiri.



Namaqua Dove *Oena capensis*

A few seen in Nazinga and in Mole NP.

Mourning Collared Dove *Streptopelia decipiens*

1 ex. near White Volta.

Red-eyed Dove *Streptopelia semitorquata*

Common bird on the savanna

Vinaceous Dove *Streptopelia vinacea*

Common bird on the savanna

European Turtle Dove *Streptopelia Turtur*

25 ex. seen at the White Volta.

African Collared Dove *Streptopelia Turtur*

1-2 ex. seen north of Po in Burkina.

Laughing Dove *Spilopelia senegalensis*

A very common bird, seen nearly every day

Black-billed Wood Dove *Turtur abyssinicus*

Common in Nazinga and Mole NP.

Blue-spotted Wood Dove *Turtur afer*

1 ex. ringed in Damongo FR

Tambourine Dove *Turtur tympanistria*

A few seen in Kakum and at Atewa.

Blue-headed Wood Dove *Turtur brehmeri*

One seen at Bobiri.

Bruce's Green Pigeon *Treron waalia*

5 ex seen near Tono Dam.

African Green Pigeon *Treron calvus*

Common bird in Mole NP.



Parrots Psittacidae

Rose-ringed Parakeet *Psittacula krameri*

Seen daily in Nazinga and Mole NP.

Grey Parrot *Psittacus erithacus*

3-4 ex. in Bobiri Butterfly Sanctuary.

Red-fronted Parrot *Poicephalus gularis*

2 ex. in Bobiri Butterfly Sanctuary.

Senegal Parrot *Poicephalus senegalus*

Common in Nazinga and Mole NP

Turacos Musophagidae

Guinea Turaco *Tauraco persa*

1 ex. heard from the canopy walkway in Kakum NP.

Yellow-billed Turaco *Tauraco macrorhynchus*

Heard from the canopy walkway at all 3 visits and at Aboaba.

Violet Turaco *Musophaga violacea*

Seen and heard fine in Mole NP, near the White Volta and in Shai Hills.

Western Plantain-eater *Crinifer piscator*

Seen nearly every day at the savanne.

Cuckoos Cuculidae

Black-throated Coucal *Centropus leucogaster*

2 ex. seen at Aboabo

Senegal Coucal *Centropus senegalensis*

A common species and see in Nazinga NP, at Mole and Shai Hills



Senegal Coucal

Blue-headed Coucal *Centropus monachus*

2 ex. seen at Aboabo.

Blue Malkoha (Yellowbill) *Ceuthmochares aereus*

Several seen in Kakum NP and Atewa.

Levaillant's Cuckoo *Clamator levaillantii*

1 ex. near Tono Dam.

Dideric Cuckoo *Chrysococcyx caprius*

Seen at Shai Hills, Aboabo and Atewa.

Klaas's Cuckoo *Chrysococcyx klaas*

1 ex. seen on the way to the top of Atewa.

African Emerald Cuckoo *Chrysococcyx cupreus*

1 ex. seen on the way to the top of Atewa. 1 ex in Bobiri.

Dusky Long-tailed Cuckoo *Cercococcyx mechowi*

1 ex. at Aboabo.

Olive Long-tailed Cuckoo *Cercococcyx olivinus*

1 ex. heard from the Canopy Walkway

Red-chested Cuckoo *Cuculus solitarius*

1 ex. heard from the Canopy Walkway

African Cuckoo *Cuculus gularis*

We found one in Damongo

Owls Strigidae

African Scops Owl *Otus senegalensis*

Heard several times around Nazinga hotel and in Mole.

Greyish Eagle-Owl *Bubo cinerascens*

Heard around Nazinga hotel and one seen on the dark road before Damongo.

African Wood Owl *Strix woodfordii*

One heard in Bobiri.

Pearl-spotted Owlet *Glaucidium perlatum*

Heard several times and seen in Mole NP.



Pearl-spotted Owlet

Nightjars Caprimulgidae

Long-tailed Nightjar *Caprimulgus climacurus*

Great views of one in front of the bus in Mole NP. A few more seen.

Standard-winged Nightjar *Macrodipteryx longipennis*

Fantastic view of a pair in Mole NP. Male seen flying around.



Swifts Apodidae

Mottled Spinetail *Telacanthura ussheri*

2 ex seen in Nazinga NP.

Black Spinetail *Telacanthura melanopygia*

1 ex. at Aboabo.

Sabine's Spinetail *Rhaphidura sabini*

Great sightings of 4 ex. at Aboabo. 1 ex. at the Canopy Walkway

Cassin's Spinetail *Neafrapus cassini*

2 ex. at Aboabo. 2 ex. at the Canopy Walkway

African Palm Swift *Cypsiurus parvus*

Very common throughout the trip

Common Swift *Apus apus*

Very common over the rainforest of Kakum.

Little Swift *Apus affinis*

Seen near water and bridges in small and large flocks.

White-rumped Swift *Apus caffer*

Only one record near Mole NP

Rollers Coraciidae

Purple (Rufous-crowned) Roller *Coracias naevius*

A few observed on the savanne.

Abyssinian Roller *Coracias abyssinicus*

Great vues in Burkina Faso and northern Ghana.

Blue-bellied Roller *Coracias cyanogaster*

First seen along the road south of Tamale and 2 seen in Shai Hills.



Blue-bellied Roller

Blue-throated Roller *Eurystomus gularis*

2 ex. in Bobiri and 2 ex. in Kakum NP.

Broad-billed Roller *Eurystomus glaucurus*

A few seen in Mole NP and at Shai Hills.

Kingfishers Alcedinidae

Chocolate-backed Kingfisher *Halcyon badia*

Unfortunately just hear at the Canopy Walkway and at Atawa Range

Grey-headed Kingfisher *Halcyon leucocephala*

Seen in small numbers in Nazinga and Mole NP.



Woodland Kingfisher

Striped Kingfisher *Halcyon chelicuti*

2 ex. in Mole NP.

Blue-breasted Kingfisher *Halcyon malimbica*

We had wonderful views of several in Mole NP.

Woodland Kingfisher *Halcyon senegalensis*

A common species in Nazinga and Mole NP. 2 ex. at Hans Cottage. (Foto)

African Pygmy Kingfisher *Ispidina picta*

1 ex close to the bus near Nazinga Hotel

Malachite Kingfisher *Alcedo cristata*

Common

Shining-blue Kingfisher *Alcedo quadribrachys*

1 ex. seen at the river just outside Mole NP.

Giant Kingfisher *Megaceryle maxima*

We had a wonderful view of one sitting in front of the bus near Nazinga Hotel

Pied Kingfisher *Ceryle rudis*

Common near water.

Bee-eaters Meropidae

Blue-headed Bee-eater *Merops mentalis*

Frup I had good vues of 1 ex. in Atewa Forest. Group II came to late. Bad luck

Black Bee-eater *Merops gularis*

1 + 2 ex. near the headquater in Kakum NP. Great.

Little Bee-eater *Merops pusillus*

A few seen near Brenu Beach and in Shai Hills.

Red-throated Bee-eater *Merops bulocki*

Common in Burkina Faso and the northern part og Ghana.

White-throated Bee-eater *Merops albicollis*

Common in the southern part.

European Bee-eater *Merops apiaster*

2 ex. in Nazinga and 2 ex. at Shai Hills

Rosy Bee-eater *Merops malimbicus*

Great vues in Kakum NP.

Little green Bee-eater *Merops orientalis*

Only seen in Nazinga, where it is common. Not mentioned in Birds of Ghana.



Black Bee-eater

Hoopoes Upupidae

Eurasian Hoopoe *Upupa epops*

Seen several times in dry areas.

Wood Hoopoes Phoeniculidae

White-headed Wood Hoopoe *Phoeniculus bollei*

2 ex. in Bobiri FS.

Green Wood Hoopoe *Phoeniculus purpureus*

Seen in Nazinga and in Mole NP.

Hornbills Bucerotidae

African Pied Hornbill *Tockus fasciatus*

Common in the savanna forest.

African Grey Hornbill *Tockus nasutus*

Common in Burkina Faso and on the northern savanna

Northern Red-billed Hornbill *Tockus erythrorhynchus*

Only a few in Mole NP.

White-crested Hornbill *Tropicranus albocristatus*

Difficult to see, but heard every day in Kakum NP. At last we saw 3 ex. in a cultivated area near Atawa Range

Brown-cheeked Hornbill (E) *Bycanistes cylindricus*

2. ex. seen well in Kakum NP.

Black-casqued Hornbill *Ceratogymna atrata*

Perfect view in Kakum NP from the Canopy Walkway



Ground Hornbills Bucorvidae

Abyssinian Ground Hornbill *Bucorvus abyssinicus*

Fantastic views of 3 ex. in Nazinga NP.



(Mads Elley)

African Barbets Lybiidae

Bristle-nosed Barbet *Gymnobucco peli*

Common in Bobiri and KakumNP.

Naked-faced Barbet *Gymnobucco calvus*

Common in Bobiri and KakumNP.

Speckled Tinkerbird *Pogoniulus scolopaceus*

2 ex. at Boaba and in Kakum NP.

Red-rumped Tinkerbird *Pogoniulus atroflavus*

2 ex. at the canopy walkway, 2 ex. at the Aboabo and 1 ex. near Atawa.

Yellow-rumped Tinkerbird *Pogoniulus bilineatus*

A few sightings.

Yellow-fronted Tinkerbird *Pogoniulus chrysoconus*

Common. Often heard



Yellow-fronted Tinkerbird

Hairy-breasted Barbet *Tricholaema hirsuta*

2 ex. at the Aboabo

Viellot's Barbet *Lybius vieilloti*

Common bird of savanna. Seen in Mole NP and at Shai Hills.

Double-toothed Barbet *Lybius bidentatus*

2 ex. in Shai Hills.

Bearded Barbet *Lybius dubius*

2 ex. Nazinga and common in Mole NP.

Yellow-billed Barbet *Trachyphonus purpuratus*

We had magnificent views of this rather shy species at Antwikwaa and Ebekawopa.

Honeyguides Indicatoridae

Greater Honeyguide *Indicator indicator*

2 ex. was well seen in Mole NP. Often heard.

Woodpeckers Picidae

African Piculet *Sasia africana*

Only heard in Bobiri and in Kakum

Fine-spotted Woodpecker *Campethera punctuligera*

2 ex. in Mole NP

Golden-tailed Woodpecker *Campethera abingoni*

2 ex. at Aboabo.

Little Green Woodpecker (NE) *Campethera maculosa*

1 ex. at Aboabo.

Buff-spotted Woodpecker *Campethera nivosa*

1 ex. seen and heard at Aboabo.

Gabon (Melancholy) Woodpecker *Dendropicos gabonensis*

1 ex. seen in Kakum canopy walkway.

Fire-bellied Woodpecker (NE) *Dendropicos pyrrhogaster*

1 ex. at Aboabo, Bobiri and in Kakum canopy walkway.

African Grey Woodpecker *Dendropicos goertae*

Good views of a pair in Nazinga and in Mole NP.

Broadbills Eurylaimidae

Rufous-sided Broadbill *Smithornis rufolateralis*

Heard several places. 1 ex. near the Picathartes site and a few in Kakum NP.

Helmetsrikes Prionopidae

White-crested Helmetshrike *Prionops plumatus*

5 ex seen near Po in Burkina Faso. 4 ex. seen in Shai Hills.

Red-billed Helmetshrike (NE) *Prionops caniceps*

4 ex. of this magnificent bird were seen in Bobiri FR.

Wattle-eyes and Batises Platysteiridae

Senegal Batis *Batis senegalensis*

Common in Nazinga and Mole NP

Bioko Batis *Batis poensis*

Superb views of a pair in Kakum NP.

Chestnut Wattle-eye *Platysteira castanea*

2 ex. seen from the Kakum canopy walkway

Common Wattle-eye *Platysteira castanea*

2 ex. in Mole NP and ringed in Damongo.



Common Wattle-eye

Bushshrikes Malaconotidae

Grey-headed Bushshrike *Malaconotus blanchoti*

1 ex. at Aboabo.

Brown-crowned Tchagra *Tchagra australis*

Common on the savanna

Black-crowned Tchagra *Tchagra senegalus*

We enjoyed numerous sightings including three in Mole NP.

Marsh Tchagra *Tchagra minuta*

1 ex. seen in bushes in Winniba Plains

Sabine's Puffback *Dryoscopus sabinus*

Well seen in Bobiri and in Kakum NP.

Northern Puffback *Dryoscopus gambensis*

Common on the savanna

Yellow-crowned (Common) Gonolek *Laniarius barbarus*

Great views in Mole NP and at the ringing site in Damongo

Brubru *Nilaus afer*

2 ex. in Mole NP.

Tropical Boubou *Laniarius major*

2 ex. in Mole NP.

Cuckooshrikes Campephagidae

Blue Cuckooshrike *Coracina azurea*

3 ex. seen well on the canopy walkway.

Shrikes Laniidae

Yellow-billed Shrike *Corvinella corvina*

A common savannabird, seen well specially in Burkina Faso and the northern Ghana.

Common Fiscal *Lanius collaris*

Most common in savanna in the south-east.

Woodchat Shrike *Lanius senator*

Palaearctic migrant. 1 ex at Tona Dam.

Figbirds, Orioles Oriolidae

African Golden Oriole *Oriolus auratus*

2 ex. in Mole NP.

Western (Black-headed) Oriole *Oriolus brachyrhynchus*

Good views in Aboabo and at Atewa.

Black-winged Oriole *Oriolus nigripennis*

1 ex. seen in Bobiri and from the Kakum canopy walkway

Drongos Dicruridae

Square-tailed Drongo *Dicrurus ludwigii*

1 ex. in Mole NP.

Shining Drongo *Dicrurus atripennis*

2-3 ex. in Atawa range.

Fork-tailed Drongo *Dicrurus adsimilis*

One was seen in Shai Hills, followed by daily sightings in Mole NP.

Velvet-mantled Drongo *Dicrurus modestus*

This bird was commonly seen in Bobiri, on the Kakum canopy walkway and in Atawa Range.

Crows, Jays Corvidae

Piapiac *Ptilostomus afer*

We saw 3 ex. on the way to White Volta and about 20 ex. outside Shai Hills

Pied Crow *Corvus albus*

One of the most common birds of the tour.

Rockfowl Picathartidae

White-necked Rockfowl (E) *Picathartes gymnocephalus*

Highlight of the tour! Great sightings of 3 ex. in Bonkro Forest.

Fairy Flycatchers Stenostiridae

African Blue Flycatcher *Elminia longicauda*

Good views of two in Mole NP.

Tits, Chickadees Paridae

White-shouldered Black Tit *Parus guineensis*

Common in Shai Hills and in Mole NP.

Penduline Tits Remizidae

Tit-Hylia *Pholidornis rushiaes*

One of Africa's smallest birds. Only 7,5 cm. 1.ex. at the Kakum Canopy Walkway.

Nicators Nicatoridae

Western (Yellow-spotted) Nicator *Nicator chloris*

1 ex. heard near the Picarthartes site. 1 ex. seen at the foot of Atawa Range

Larks Alaudidae

Sun Lark *Galerida modesta*

Only seen in very dry area in Mole NP.

Chestnut-backed Sparrow-Lark *Eremopterix leucotis*

A few were seen in Nazinga and in Mole NP..



Chestnut-backed Sparrow-Lark

Bulbuls Pycnonotidae

Common Bulbul *Pycnonotus barbatus*

Common.

Slender-billed Greenbul *Stelgidillas gracilirostris*

A few seen in Bobiri, in Kakum NP and in Atewa Forests.

Little Greenbul *Eurillas virens*

2 ex. seen and heard in Kakum NP. 1 ex seen and heard in Aboabo

Little Grey Greenbul *Eurillas gracilis*

2 ex. seen and heard in Kakum NP

Ansorge's Greenbul *Eurillas ansorgei*

2 ex. seen and heard in Kakum NP

Yellow-whiskered Greenbul (Bulbul) *Eurillas latirostris*

1 ex seen/heard from the Kakum Canopy Walkway.

Golden Greenbul *Calyptocichla serina*

1 ex seen Aboabo and another at Bonkro Forest.

Honeyguide Greenbul *Baeopogon indicator*

1 ex seen KakumNP.

Baumann's Greenbul *Phyllastrephus baumanni*

1 ex. seen at the foot of Atawa Range on our way to the top

Cameroon Sombre Greenbul *Eurillas curvirostris*

2 ex. seen on Atawa Range. 1 ex seen KakumNP.

Simple Greenbul *Chlorocichla simplex*

1 ex seen Aboabo

Yellow-throated Leaflove (Greenbul) *Chlorocichla flavicollis*

1 ex seen from the Kakum Canopy Walkway.

Swamp [Palm] Bulbul *Thescelocichla leucopleura*

1 ex seen and heard in Aboabo

Red-tailed Leaflove *Pyrrhurus scandens*

2 ex. seen and heard in Kakum NP

Icterine Greenbul *Phyllastrephus icterinus*

2 ex. seen near the Picarthartes site and again in Atawa Range

Green-tailed Bristlebill (E) *Bleda eximius*

2 ex. heard in KakumNP.

Red-tailed Bristlebill (E) *Bleda syndactylus*

1 ex. heard on the way to the Picarthartes site

Grey-headed Bristlebill *Bleda canicapillus*

1 ex. at Atewa Forest.

Western Bearded Greenbul (NE) *Criniger barbatus*

1 ex. seen near the Picarthartes site.

Red-tailed Greenbul *Criniger calurus*

2 ex. heard in Kakum NP

Yellow-bearded Greenbul (E) *Criniger olivaceus*

1 ex seen KakumNP.

Swallows, Martins Hirundinidae

Square-tailed Saw-wing *Psalidoprocne nitens*

A few seen over Aboabo and from the Kakum Canopy Walkway.

Fanti Saw-wing *Psalidoprocne obscura*

.A few seen over Mole

Plain Martin *Riparia paludicola*

A big mixed flock seen over the lake in front of Hotel Nazinga

Common Sand Martin *Riparia riparia*

A big mixed flock seen over the lake in front of Hotel Nazinga

Barn Swallow *Hirundo rustica*

Common migrant around Kakum NP and near the coast

Red-chested Swallow *Hirundo lucida*

Recorded daily in Burkina Faso and the North of Ghana.

Wire-tailed Swallow *Hirundo smithii*

Several seen in Nazinga and Mole NP.

White-throated Blue Swallow *Hirundo nigrita*

4 ex. over Pra River at Twifo Praso.

Pied-winged Swallow *Hirundo leucosoma*

.Great views of 6 ex. over a lake in Nazinka

Grey-rumped Swallow *Hirundo griseopyga*

Great view of a little flock east of Bolgatanga

Lesser Striped Swallow *Cecropis abyssinica*

A few seen near Kakum NP.

Rufous-chested Swallow *Cecropis semirufa*

A few seen in farmland.

Mosque Swallow *Cecropis senegalensis*

Just one sighting in Nazinka.

Preuss's [Cliff] Swallow *Petrochelidon preussi*

About 320 ex went to roost at the coast savanna of Brenu Beach

Cettia Bush Warblers & Allies Cettiidae

Green Hylia *Hylia prasina*

2 ex. in Bobiri and 2 + 1 ex. in Kakum NP.

Leaf Warblers & Allies Phylloscopidae

Willow Warbler *Phylloscopus trochilus*

1 ex. in Mole NP. 9 ex ringed in Damongo

Wood Warbler *Phylloscopus sibilatrix*

Good views of 2 ex. in Bobiri and 2 ex. in Aboabo.

Reed Warblers & Allies Acrocephalidae

Melodious Warbler *Hippolais polyglotta*

1 ex. seen in the Hotels garden in Mole NP.

Cisticolas & Allies Cisticolidae

Red-faced Cisticola *Cisticola erythrops*

1 ex ringed in Damongo

Singing Cisticola *Cisticola cantans*

3 ex ringed in Damongo. 2 ex. seen and heard in Mole NP.

Dorst Cisticola *Cisticola guinea*

1 ex. skulking near Damongo Dam

Winding Cisticola *Cisticola marginatus*

2 ex. seen in a weet area near the coast

Croaking Cisticola *Cisticola natalensis*

1 ex on the Winneba Plains.

Short-winged (Siffling) Cisticola *Cisticola brachypterus*

1 ex ringed in Damongo

Tawny-flanked Prinia *Prinia subflava*

Fairly common.

Red-winged Warbler *Heliolais erythropterus*

Superb views of 2 ex. in Nazinga.

Sharpe's Apalis (E) *Apalis sharpii*

Great views of 1 ex. one from the Kakum canopy walkway. 1 ex. at Atewa Forest.

Oriole Warbler *Hypergerus atriceps*

With playback we got a good look at 2 at Shai Hills. 2 ex in in Mole NP.

Grey-backed Camaroptera *Camaroptera brevicauda*

A common bird in the forest.

Yellow-browed Camaroptera *Camaroptera superciliaris*

2 ex. in Aboabo.

Senegal Eremomela *Eremomela pusilla*

Common savanna bird in Nazinga and Mole NP.

Yellow-bellied Eremomela *Eremomela Ictoropygialis*

1 ex. seen in Nazinga. (It is not in Birds og Ghana!)

Moustached Grass Warbler *Melocichla mentalis*

1 ex. near Mole NP and again 2 ex. at the coast savanna near Brenu.

Kemp's Longbill (NE) *Macrosphenus kempii*

1 ex seen and heard at Aboabo.

Grey Longbill *Macrosphenus concolor*

1 ex seen and heard at Aboabo and 2 ex. seen from the Kakum canopy walkway

Northern Crombec *Sylvietta brachyura*

1 ex seen and heard at Shai Hills.

Green Crombec *Sylvietta virens*

1 ex seen and heard at Aboabo.

Babblers & Parrotbills Timaliidae

Blackcap Illadopsis *Illadopsis cleaveri*

1 ex heard at the top of Atewa Range 1 ex. heard in Kakum.

Puvel's Illadopsis *Illadopsis puveli*

Seen and heard at the foot of Atewa Range.

Brown Illadopsis *Illadopsis fulvescens*

4 ex. seen in Aboabo.

Blackcap Babbler *Turdoides reinwardtii*

Seen in Nazinga and in Mole NP.

Brown Babbler *Turdoides plebejus*

Seen several times in Nazinga and Mole NP.

White-eyes Zosteropidae

African Yellow White-eye *Zosterops senegalensis*

A few seen in Mole NP and at Bobiri.

Hyliotas Hylotiidae

Violet-backed Hyliota *Hyliota violacea*

2 + 4 ex. seen at Atewa.

Starlings Sturnidae

Copper-tailed (Glossy) Starling (E) *Hylopsar cupreocauda*

4 ex. from the canopy Walkway and in Bobiri..

Greater Blue-eared (Glossy) Starling *Lamprotornis chalybaeus*

6 ex. seen near Tono Dam.

Lesser Blue-eared (Glossy) Starling *Lamprotornis chloropterus*

Common in Burkina Faso and Mole NP.

Bronze-tailed Starling *Lamprotornis chalcurus*

4 ex. seen near Tono Dam.



Splendid (Glossy) Starling *Lamprotornis splendidus*

Common in the rainforest.

Purple (Glossy) Starling *Lamprotornis purpureus*

Common in Burkina Faso and Mole NP.

Long-tailed Glossy Starling *Lamprotornis caudatus*

Common in Burkina Faso, Tono Dam and Mole NP.

Chestnut-bellied Starling *Lamprotornis pulcher*

10 ex. in Burkina Faso.



Violet-backed Starling *Cinnyricinclus leucogaster*

3 ex. seen in a distance on Atawa Range

Chestnut-winged Starling *Onychognathus fulgidus*

Great views from the canopy Walkway.

Narrow-tailed Starling *Poeoptera lugubris*

Great views from the canopy Walkway and at Aboabo.

Yellow-billed Oxpecker *Buphagus africanus*

2 ex. seen on the back of cows near White Volta.



(Mads Elley)

Thrushes Turdidae

Finsch's Rufous Thrush (NE) *Stizorhina finschii*

2 ex. in Kakum NP and another at Atewa.

African Thrush *Turdus pelios*

2 ex. in Mole NP

Chats, Old World Flycatchers Muscicapidae

Forest Robin *Stiphornis erythrothorax*

Heard and seen in Kakum NP

Snowy-crowned Robin-Chat *Cossypha niveicapilla*

Great views of 1 ex. in Mole NP.



Yellow-crowned Gonolek

White-crowned Robin-Chat *Cossypha albicapilla*

Great views of 2 ex. in Mole NP and seen trapped in Damongo

Whinchat *Saxicola rubetra*

2 ex. in the dry area in Mole NP. 1 ex. in Shai Hills.

White-crowned Cliff Chat *Thamnolaea coronata*

A pair in Shai Hills seen well on the cliff.

Northern Black Flycatcher *Melaenornis edolioides*

2 ex. seen in Mole NP

Pale Flycatcher *Bradornis pallidus*

2 ex. in Mole NP. and in Shai Hills

Spotted Flycatcher *Muscicapa striata*

1 ex. in Shai Hills.

Little-grey Flycatcher *Muscicapa epulata*

2 ex. from the canopy Walkway

Dusky-blue Flycatcher *Muscicapa comitata*

Good views of Kakum NP.

Ussher's Flycatcher (E) *Muscicapa ussheri*

4 ex. seen at Aboabo

Lead-collared Flycatcher *Myioparus plumbeus*

Nice views in Mole NP and in Shai Hills

European Pied Flycatcher *Ficedula hypoleuca*

Common in Damonga and in Mole NP.

Chestnut-capped Flycatcher *Erythrocercus mccallii*

A small family seen from the canopy walkway.

African Paradise Flycatcher *Terpsiphone viridis*

Several seen in Nazinga and Mole

Red-bellied Paradise Flycatcher *Terpsiphone viridis*

A few in Kakum NP



Scarlet-chested Sunbird

Sunbirds Nectariniidae

Fraser's (Scarlet-tufted) Sunbird *Deleornis fraseri*

1 ex. seen from the Kakum canopy walkway.

Little Green Sunbird *Anthreptes seimundi*

1 ex. in Kakum NP.

Green Sunbird *Anthreptes rectirostris*

2 ex. seen from the Kakum canopy walkway.

Collared Sunbird *Hedydipna collaris*

2 ex. in Bobori FS.

Pygmy Sunbird *Hedydipna platura*

2 ex. of this beautiful sunbird in Nazinga, 2 ex. in Mole NP.

Green-headed Sunbird *Cyanomitra verticalis*

1 ex. in Kakum NP.

Blue-throated Brown Sunbird *Cyanomitra cyanolaema*

2 ex. in Bobori FS, 2 ex. seen from the canopy walkway.

Olive Sunbird *Cyanomitra olivacea*

1-2 ex. seen from the canopy walkway.

Scarlet-chested Sunbird *Chalcomitra senegalensis*

5 ex. ringed in Damongo and several sightings in Mole NP

Olive-bellied Sunbird *Cinnyris chloropygius*

2 ex. in Bobori FS, 6 ex. in Aboabo

Tiny Sunbird *Cinnyris minullus*

2 ex. seen from the Kakum canopy walkway.

Beautiful Sunbird *Cinnyris pulchellus*

2 ex. in Mole NP.

Splendid Sunbird *Cinnyris coccinigastrus*

2 ex. ringed in Damongo

Superb Sunbird *Cinnyris superbus*

3 ex. of this big sunbird in Aboabo.

Copper Sunbird *Cinnyris cupreus*

2 ex. in Nazinga, 2 ex. in Mole NP.

Old World Sparrows Passeridae

Chestnut-crowned Sparrow-Weaver *Plocepasser superciliosus*

Just one seen outside Mole NP.

N. Grey-headed Sparrow *Passer griseus*

A common species.

Bush Petronia *Gymnoris dentata*

A common species in Burkina Faso.

Weavers, Widowbirds Ploceidae

White-billed Buffalo Weaver *Bubalornis albirostris*

20 ex. at a nesting colony south of Ougaudougo

Little Weaver *Ploceus luteolus*

20 ex. in Mole NP.

Black-necked Weaver *Ploceus nigricollis*

10 ex. in Mole NP.

Orange Weaver *Ploceus aurantius*

Great views of a nesting colony at Hans Cottage.

Vitelline Masked Weaver *Ploceus vitelinus*

A common weaver in Nazinga.

Village Weaver *Ploceus cucullatus*

A common weaver.

Vieillot's Black Weaver *Ploceus nigerrimus*

2 ex. in Bobiri

Yellow-mantled Weaver *Ploceus tricolor*

A small nesting colony in Kakum NP.

Maxwell's Black Weaver *Ploceus albinucha*

Good views in Aboabo.



Orange Weaver

Preuss's Weaver *Ploceus preussi*

2 ex. seen from the Kakum canopy walkway.

Blue-billed (Gray's) Malimbe *Malimbus nitens*

1 ex. on the top of Atewa Range..

Red-headed Malimbe *Malimbus rubricollis*

Seen daily in Bobiri, Kakum and Atewa

Crested Malimbe *Malimbus malimbicus*

1 ex. in Aboabo

Red-headed Weaver *Anaplectes melanotis*

A few seen in Nazinga and in Mole NP.

Red-billed Quelea *Quelea quelea*

Common weaver in Nazinga

Black-winged [Red] Bishop *Euplectes hordeaceus*

Common weaver in Nazinga

Northern Red (Orange) Bishop *Euplectes franciscanus*

10 ex. in Mole.

Yellow-mantled Widowbird *Euplectes macrourus*

Common weaver in Nazinga.



Red-headed Malimbe

Waxbills, Munias & Allies Estrildidae

White-breasted Nigrita (Negrofinch) *Nigrita fusconotus*

Daily sightings in Kakum NP.

Grey-headed Nigrita (Negrofinch) *Nigrita canicapillus*

2 ex. seen in Bobiri FS.

Red-winged Pytilia *Pytilia phoenicoptera*

Great views of 2 ex. in Nazinga

African Firefinch *Lagonosticta rubricata*

2 ex. in Shai Hills

Bar-breasted Firefinch *Lagonosticta rufopicta*

Small flock in Nazinga NP.

Red-billed Firefinch *Lagonosticta senegala*

Common in Burkina Faso and in Mole NP.

Black-faced Firefinch *Lagonosticta vinacea*

2 ex. in Mole NP.

Red-cheeked Cordon-bleu *Uraeginthus bengalus*

A common bird in Burkian Faso and northern Ghana. Ringed in Damongo.

Lavender Waxbill *Estrilda caerulescens*

4 ex. in Mole NP.

Orange-cheeked Waxbill *Estrilda melpoda*

Seen in Nazinga NP and in Mole NP.



Orange-cheeked Waxbill

Black-rumped Waxbill *Estrilda troglodytes*

2 ex. in Mole NP.

African Silverbill *Euodice cantans*

A small flock in Nazinga

Bronze Mannikin *Lonchura cucullata*

Common bird in the north.

Black-and-white Mannikin *Lonchura bicolor*

4 ex. near Hans Cottage.

Indigobirds, Whydahs Viduidae

Village Indigobird *Vidua chalybeata*

Good views of 4 along the road in Burkina Faso

Cameroon Indigobird *Vidua camerunensis*

A single bird along the road in Burkina Faso.

Pin-tailed Whydah *Vidua macroura*

4 ex. near the restaurant i Kakun and 1 ex. near Atewa Range

Exclamatory Paradise Whydah *Vidua interjecta*

1 male in Mole NP.

Wagtails, Pipits Motacillidae

Western Yellow Wagtail *Motacilla flava*

Small flocks of this European migrant seen near water in Burkina Faso, Mole and White Volta

African White Pied Wagtail *Motacilla aguimp*

1 ex. on a rooftop at the Kakum Headquarter

Yellow-throated Longclaw *Macronyx croceus*

1 ex. seen and heard at Sakamono Lagoon.

Plain-backed Pipit *Anthus leucophrys*

Good view of a single bird in Shai Hills.

Tree Pipit *Anthus trivialis*

Small flocks in Mole NP and in Shai Hills.

Finches Fringillidae

White-rumped Seedeater *Crithagra leucopygia*

Good views of 2 along the road in Burkina Faso

Yellow-fronted Canary *Crithagra mozambica*

Common bird in Nazinga NP. and in Mole NP.

Buntings & Allies Emberizidae

Cinnamon-breasted Bunting *Emberiza tahapisi*

Common bird in Nazinga NP.

Brown-rumped Bunting *Emberiza afinis*

Fine but short view of one bird in Mole NP.

Cabani's Bunting *Emberiza*

Close up view just outside Mole.



Breakfast (Mads Elley)

Annotated List of Mammals recorded (20 species)

List by Hans Harrestrup Andersen

Note: Names and taxonomical order of the land mammals follow that of ' The Kingdon Field Guide to African

Mammals and some reptiles seen on Danish Ornithological Society's Burkina Faso and Ghana tour February 2nd-14th 2013.



Elefant (Hans H. Andersen)



Roan Antelope (Hans H. Andersen)

Mammals:

Olive Baboon (*Papio Anubis*), several in flocks Mole and Shai hills.

Lowe's monkey (*Cercopithecus (m.) lowei*), one of six Mona monkey subsp. A few Kakum and Shai hills.

Tantalus monkey (*Cercopithecus athiops tantalus*), a subsp. of Grivet monkey. Flocks of 4-5 Kazinga and Mole.

Patas monkey (*Cercopithecus patas*). A few Shai hills.

Senegal galago (*Galago senegalensis*). Probably this sp. seen in spotlight, Mole.

Straw-colored fruit bat (*Eidolon helvum*). This large, fruit-eating, bat is, according to Kingdon, "typically sited near noise". Which is where we encountered a flock in the outskirts of Accra.

Bat sp. Several small bats seen here and there.

Rabbit sp. 2 rabbits seen in scrub, Mole. Our problem: Kingdon does not mention any sp. in Ghana.

Fire-footed rope squirrel (*Funisciurus pyrropus*). One captive, Bobiri hotel garden.

Green squirrel (*Paraxerus poensis*). Adult plus 3 imm. in- and outside nesting hole in tree 30 ms (90 feet) above ground. Canapy walkway, Kakum.

Marsh mongoose (*Atilax palidonosus*). 1 ex.at the swallow roost channel.

Spotted hyena (*Crocuta crocuta*). Heard at night Nazinka and Mole.


Long-tailed Pangolin (*Manis tetradactyla*) ? 1 spotted, high up in a tree, by a few lucky participants. Canopy walkway (platform 5), Kakum. 3 sp. of this elusive, highly sought, animal occur in Ghana. The long-tailed pangolin is highly aboreal and diurnal. This makes our sighting probably of this species.

Mouse sp. 1 Nazinga. Scared from hide, then jumped into the hotel pool. Caught swimming for dear life in net by two participants and brought back to *terra firma*.

African elephant (*Loxodonta Africana*). Several groups Mole and Kakum. One matriark, leading a juvenile, got pissed with our bus, then attacking the vehicle. Probably a mock attack. Our competent driver did not care to call it's bluff and whiskered the bus away. Flocks in the lake at Hans cottage.

Common warthog (*Phacocoerus aethiopicus*). Common and quite tame, Mole.

Lake Chad buffalo (*Syncerus brachyceros*). 1 female, Mole. A split from Cape buffalo according to Handbook of the Mammals of the World, vol. 2.



Lake Chad Buffalo (Hans H. Andersen)

Bushbuck (*Tragelaphus scriptus*). Common Kakum and Mole.

Royal antelope (*Neotragus pygmaeus*). Two poached and quite dead, probably this sp. seen from the bus while passing through a village. Africa's smallest antelope.

Kob (*Kobus kob*). Common Mole. Flock of approx. 80 seen Shai Hills



Bushbuck (Hans H. Andersen)



Kob (Hans H. Andersen)

Waterbuck (*Kobus ellipsiprymnus*). A few Mole.

Roan (*Hippotragus equinus*). 1 ad. stallion of this magnificent "horse antelope" Nazinga.

Litt.: The Kingdom Pocket guide to African mammals. Princeton Pocket Guides 2004.

Reptiles:

Nile crocodile (*Crocodylus niloticus*). Several Mole and Kakum.

3-4 sp. of **lizards**. Among these **Red-headed rock agama**, common in S. Ghana.

Monitor lizard sp. (*Varanus sp.*). A few here and there.



Nile Crocodile (Hans H. Andersen)

Insects:

Very annoying **mosquitoes** at the hotel, Ougadougo. Lots of even more annoying small **flies** in burnt areas. Many beautiful **butterflies**, **Army ants sp.** and **beetles sp.** inside the rain forest.



Butterfly (Hans H. Andersen)



Butterfly (Hans H. Andersen)



Dreamteam

Har I spørgsmål til rapporten eller ønsker I gode råd til en rejse til Ghana, er I velkomne til at kontakte mig. Email: alex.rosendal@mail.tele.dk