

Vietnam

COCHINCHINA, SOUTH ANNAM AND EAST TONKIN

29 March - 17 April 2008

By
Søren Skov &
Thomas W. Johansen



Black-faced Spoonbill, Xuan Thuy, Photo©Thomas W. Johansen

FORORD:

Det blev en sand eventyrrejse, da DOF Travel i dagene 29. marts - 17. april 2008 besøgte Vietnam i det sydøstlige Asien.

Vi fik set nogle af de fineste naturområder i Vietnam – regnskoven i Cat Tien og Cuc Phoung, Xuan Thuy med Røde Flodens delta, tågeregnskoven i Tam Dao og bjergskovene omkring Da Lat, der huser flere sjældent sete endemiske fuglearter.

Undervejs fik vi en perlerække af sjældne fugleoplevelser. Det er en næsten umulig opgave at afgøre, hvilke der har gjort størst indtryk, men mon ikke mødet med skerylen, de sjældne trækfugle i Xuan Thuy, det storslåede rovfugletræk med hundredevis af Black Baza og tropeskovens farveladefugle som de særegne broadbills og leafbirds var blandt højdepunkterne for de fleste af os. Flere på holdet var også heldige at se Bar-bellied Pitta og gibbonaber, der svingede sig gennem regnskoven.

I alt så og hørte vi 421 fuglearter på rejsens tre uger.

Også mødet med vietnameserne og deres kultur var en stor oplevelse. Et venligt og meget smilende folkefærd.

Det succesrige udfald af vores rejse i Vietnam skyldes ikke mindst det gode kammeratskab blandt deltagerne på rejsen. At kigge på fugle i tropisk regnskov er svært, men alle var gode til at hjælpe hinanden med at få fuglene at se og dermed få mange gode oplevelser, som vi kunne være fælles om. Netop det gode humør og det gode kammeratskab, der traditionelt er på DOF Travels sterture gør, at det altid er en fornøjelse at rejse med DOF.

Rejsen var rent praktisk blevet tilrettelagt i samarbejde med mr. Nguyen Van Viet fra Vietnam Travel, der havde arrangeret vores overnatninger og transporten i Vietnam. Flyrejsen mellem Danmark og Vietnam foregik med Thai Airways. Både Vietnam Travel og Thai Airways kan varmt anbefales.

Vejret undervejs var ganske ensformigt. Varmt og fugtigt som i en sauna, men naturligvis var der forskel på, hvor meget, der var skruet op for saunaen. Det var værst i Cat Tien og Cuc Phoung, der begge bød på 30-35 grader og en luftfugtighed som i et dampbad. Her var den fugtige varme ved at tage pusten fra flere af os. I Tam Dao og Da Lat var det lidt køligere, men på ingen måde koldt. Sidst på rejsen oplevede vi også et par regnvejrsdage, og i Tam Dao blev vi generet af tæt tåge.

Deltagerne i dette storslåede vietnamesiske fugleeventyr var: Gert Green, Tim Andersen, Dorrit Krabbe, Hanne Wichmand, Carl Axel Henriksen, Carl Erik Mabeck, Ebbe Hansen, Hans Wulfsberg, Jørgen Kruse, Thomas Læssøe, Erling Krabbe, Svend Petterson, Søren Skov, (turleder) og Thomas W. Johansen (turleder).

Denne rapport er skrevet af Søren og Thomas, idet Søren har skrevet dagbogen, mens Thomas har skrevet selve rapporten med en gennemgang af de fugle og dyr, vi så på vores rejse. Thomas Læssøe og Erling Krabbe har desuden bidraget med liste over pattedyr på turen.



Xuan Thuy. Photo©Thomas W. Johansen

Friday 28th of March 2008

Eventyrrejsen startede ganske jordnært, da vi som aftalt mødtes kl. 12 i Københavns Lufthavn i Kastrup med store forventninger og lettere rejsefeber. Vi forlod det kølige Danmark, hvor foråret endnu var ganske tøvende, da vores fly kl. 14.30 lettede med kurs mod Bangkok. Den første etape af rejsen forløb ganske begivenhedsløst. Da vi fløj mod øst, blev det snart mørkt. De første af os stillede vores ure til den ny tid, inden vi lagde os til at sove. Der er seks timers tidsforskel mellem Danmark og Thailand/Vietnam.

Saturday 29th of March 2008

Ankomst til Ho Chi Minh 10.30. Vejr kl. 11.30: ca. 30°-35°, 3/8, svag vind, høj luftfugtighed.

Dagen var stadig ny, da flyet kl. 6.50 satte hjulene på den tropevarme landingsbane i Bangkok, hvor vi skulle skifte til det næste fly. Mens vi var i transit, sås fra lufthavnsbygningerne flere fine fugle – Painted Stork, Asian Openbill Stork og Striated Swallow og de uundgåelige Skovspurve, der her erstatter Gråspurven.

Kl. 9 fortsatte vi vores rejse, da vi i et nyt og mindre fly fløj til Vietnams største by og økonomiske center - Saigon. Officielt har byen skiftet navn til Ho Chi Minh City, men til dagligt kaldes den stadig ved sit gamle navn af langt de fleste vietnamesere. Her landede vi kl. 10.30 og efter en rutinemæssig kontrol af vores pas og visum samt udlevering af bagage, nåede vi ud af lufthavnen, hvor mr. Nguyen Van Viet fra Vietnam Travel hilste på os og præsenteres os for vores chauffør. Snart var vi inde i den ventende bus, og efter en hastig afsked med Nguyen Van Viet cruisede vi forventningsfulde gennem Saigon med kurs mod nationalparken Cat Tien.

Undervejs stirrede vi betagede på den tætte trafik i Saigon, der var domineret af en vrimmel af små motorcykler. Ved første øjenkast virkede trafikken lettere kaotisk, men det gjaldt ikke for vietnameserne, der uden besvær flettede sig ind og ud mellem hinanden.

Efter fire timers kørsel gennem et tæt beboet landskab, nåede vi frem til Cat Tien. Vi blev sat af bussen umiddelbart før man når nationalparken, for her skal man krydse en flod, hvor der kun er en lille færge, der ikke medbringer biler. Man kan dog hos nationalparkens personale hyre biltransport mod behørig betaling.

Varmen var lige ved at slå os ud, da vi steg ud af vores bus med aircondition, men vores iver efter at se på fugle overvandt vores besvær med den fugtigvarme luft. Så snart vi var indlogeret i vores værelser i nationalparkens gæstehytter, samledes vi udenfor - vi kunne lige nå en lille fugletur, inden det blev mørkt.

De første fede arter såsom Black-and-Red Broadbill blev behørigt beundret. Og da skumringen indfandt sig, annoncerede Great Eared Nightjar med sine karakteristiske pivu-skrig, at den var vågnet til dåd. Det var en fugl, der fascinerede os alle. En natravn, der er stor som en hedeheg, men om muligt endnu mere elegant.

Bangkok Airport 6.45-8.50

Painted Stork: 23

Asian Openbill: 2

Black-shouldered Kite: 1

Javan Pond Heron: 2

Grey Heron: 1

Great Egret: 3

Red Collared Dove: 3

Barnswallow: 2

Striated Swallow: 10

Tree Sparrow: 3

Ho Chi Minh – Cat Tien 11.30-15.30

House Swift: 2

Common Mynah: 2

Red Collared Dove: 5

Tree Sparrow: 5

Asian Palm Swift: 7

Yellow-vented Bulbul: 1

Oriental Honey-Buzzard: 1

Cattle Egret: 7

White-breasted Kingfisher: 1

Cat Tien N.P. HQ 15.30-

Lesser Yellowthroat: 1

Greater Flameback: 2

Oriental Pied Hornbill: 2

Chestnut-headed Bee-eater: 5

Black-capped Kingfisher: 1

White-throated Kingfisher: 1

Pied Kingfisher: 1

Green-billed Malkoha: 2

Greater Coucal: 5

Dollarbird: 2

Red-breasted Parakeet: 165

Vernal Hanging Parrot: 2

Silver-backed Needletail: 2

Asian Barred Owl: 2

Great Eared Nightjar: 6 in display

Pompadour Green Pigeon: 3

Thick-billed Green Pigeon: 6

Red-collared Dove: 2

Oriental Pratincole: 40

Osprey: 1

Shikra: 1

Cattle Egret: 2

Chinese Pond Heron: 1

Black-crowned Night Heron: 5

Black-and-red Broadbill: 2

Greater Racket-tailed Drongo: 4

Ashy Drongo: 1

Bronzed Drongo: 4

Racket-tailed Treepie: 3

Large-billed Crow: 1

Bar-winged Flycatcher-shrike: 2

Asian Brown Flycatcher: 1

White-rumped Shama: 3

Vinous-breasted Starling: 2

Golden-crested Myna: 2

Red-rumped Swallow: 25

Barn Swallow: 100

Black-crested Bulbul: 2

Stripe-throated Bulbul: 2

Streak-eared Bulbul: 10

Dark-necked Tailorbird: 3

Yellow-browed Leaf Warbler: 2

Striped Tit-babbler: 2

Thick-billed Flowerpecker: 1

Scarlet-backed Flowerpecker: 1

Crimson Sunbird: 2

Brown-throated Sunbird: 1

Olive-backed Sunbird: 1

Sunday 30st of March 2008

Cat Tien 05.20-18.30 - solop-/nedgang kl. 6.00 (lyst 5.00)/18.00 (mørkt 18.30). Vejr: ca. 25°-33, 8/8-4/8, svag vind høj luftfugtighed.

Solen var endnu ikke stået op, da vi klokken 5.30 var på plads i restauranten for at få tidligt morgenmad og være klar til at udforske Cat Tien.

Her er der rigeligt at se på. Cat Tien Nationalpark er 365 kvadratkilometer stor, og huser en lang række sjældne fugle og pattedyr. Blandt andet er her stadig en lille bestand af Java Næsehorn, men de er så sky, at de desværre er helt umulige at få at se.

Også fuglelivet er enestående. Cat Tien regnes af mange for at være den bedste fuglelokalitet i Vietnam, da her er meget artsrigt, og fuglene er betydeligt nemmere at få at se end i Cuc Phuong.

Det er nemt at orientere sig i Cat Tien. Nationalparkens hovedkvarter med parkens gæstehytter gennemskæres af en lang betonvej, der lige akkurat er så bred, at en bil kan køre ad den.

Mod nord når man efter ti kilometer frem til Crocodile Lake Trail. Herfra fortsætter vejen videre mod nord og dermed ud af nationalparken. Mod syd når man efter tre til fire kilometer et mosaiklandskab med skov, enge og åbne områder.

Straks efter morgenmaden mødtes vi klokken 6 med vores lokale fugleguide Duyen. Derpå gik vi stille og roligt i et par kilometer mod nord ad betonvejen.

Fugleoplevelserne stod i kø, mens vi stiftede bekendtskab med regnskovens almindelige fugle – bl.a. Pompadour Green Pigeon og Thick-billed Pigeon, Green-billed Malkoha, Dollarbird og Lineated Barbet.

Vi fandt også fine arter som Goldencrested Myna, Oriental Pied Hornbill og de to særegne ”Søren-spætter” Heart-spotted Woodpecker og Black-and-Buff Woodpecker.

Derpå gik vi tilbage ad en smal skovsti, der førte frem til parkens hovedkvarter og en sen frokost.

Om eftermiddagen gik vi ad betonvejen mod syd. Her så vi bl.a. Stribet Græshoppesanger.



Long-tailed Macaque, Cat Tien. Photo©Carl Erik Mabeck

Cat Tien 05.20-18.30

(Trails and road in HQ area)

Scaly-breasted Partridge: 2-3 heard

Red Junglefowl: 1 heard

Germain's Peacock-pheasant: 2

Greater Yellownap: 1 (EK)

Laced Woodpecker: 3-4

Grey-headed Woodpecker: 1

Common Flameback: 1 heard

Black-and-buff Woodpecker: 1

Heart-spotted Woodpecker: 2

Lineated Barbet: 3

Blue-eared Barbet: 7

Coppersmith Barbet: 4

Oriental Pied Hornbill: 4

Orange-breasted Trogon: 1 heard

Blue-bearded Bee-eater: 1

Chestnut-headed Bee-eater: 10

Banded Kingfisher: 1 heard

Stork-billed Kingfisher: 1

White-throated Kingfisher: 4

Black-capped Kingfisher: 1

Pied Kingfisher: 2

Banded Bay Cuckoo: 10 heard

Asian Koel: 1

Green-billed Malkoha: 5

Greater Coucal: 10 heard

Indian Roller: 4

Dollarbird: 6

Red-breasted Parakeet: 400

Vernal Hanging Parrot: 5

Swiftlet sp: 1

Silver-backed Needletail: 10

Brown-backed Needletail: 10

Asian Barred Owlet: 5-10

Brown Hawk Owl: 1 heard (EK)

Great Eared Nightjar: 5 in display

Large-tailed Nightjar: 3

Green Imperial Pigeon: 4

Pompadour Green Pigeon: 40

Thick-billed Green Pigeon: 10

Spotted Dove: 3

Red-collared Dove: 2

Emerald Dove: 3

Oriental Pratincole: 150

Osprey: 1

Shikra: 4

Cattle Egret: 2

Chinese Pond Heron: 3

Black-and-red Broadbill: 10

Dusky Broadbill: 1 female on nest



Asian Fairy Bluebird: 10 heard

Blue-winged Leafbird: 2

Golden-fronted Leafbird: 6

Crow-billed Drongo: 1

Bronzed Drongo: 15

Greater Racket-tailed Drongo: 15

Racket-tailed Treepie: 5

Large-billed Crow: 1

Black-naped Oriole: 15

Black-hooded Oriole: 5

Common Iora: 10

Great Iora: 5

Indochinese Cuckoo-Shrike: 1

Black-naped Monarch: 10

Asian Brown Flycatcher: 5

Red-throated Flycatcher: 2

Tickell's Blue Flycatcher: 8

Oriental Magpie Robin: 2

White-rumped Shama: 8

Vinous-breasted Starling: 6

Golden-crested Myna: 6

Hill Myna: 4

Red-rumped Swallow: 10

Barn Swallow: 100

Black-headed Bulbul: 2

Black-crested Bulbul: 5

Red-whiskered Bulbul: 3

Stripe-throated Bulbul: 2

Streak-eared Bulbul: 25

Ochraceous Bulbul: 2

Dark-necked Tailorbird: 20

Lanceolated Warbler: 1

Yellow-browed Leafwarbler: 2

Two-barred Warbler: 2

Pale-legged Leaf Warbler: 1

White-crested Laughingthrush: common

Abbots Babbler: 3

Puff-throated Babbler: 1 (EK)

Scaly-crowned Babbler: 3

Striped Tit-babbler: 1

Grey-faced Tit-babbler: 1 heard

Chestnut-capped Babbler: 4

Thick-billed Flowerpecker: 1

Scarlet-backed Flowerpecker: 1

Brown-throated Sunbird: 3

Ruby-cheeked Sunbird: 2

Olive-backed Sunbird: 10

Little Spiderhunter: 1

Black-crested Bulbul,
Cat Tien.
Photo©Carl Erik Mabeck

Monday 31st of March 2008

05.20-18.00 - solop-/nedgang kl. 6.00 (lyst 5.00)/18.00 (mørkt 18.30)

Vejr: ca. 25°-33, 8/8-4/8, svag vind høj luftfugtighed.

Igen i dag samledes vi i det spæde daggry ved 5.30-tiden for at få morgenmad. Dermed var traditionen lagt for resten af turen, hvor 5.30 blev det faste mødetidspunkt.

Efter at have spist samledes vi ved bilerne, som vi havde hyret fra nationalparkens hovedkvarter, da vi skulle køre ti kilometer mod nord, hvor stien til Crocodile Lake begynder.

Dagen fik en meget fin begyndelse. Da vi kom kørende ad den smalle vej, stod der pludselig en meget smuk Siamese Fireback han på vejen foran os. Vi kom hurtigt ud af bilerne, og det lykkedes alle at få den smukke fasan at se, inden den sammen med endnu en artsfælle forsvandt ind i skoven.

Vandreturen fra betonvejen og frem til Crocodile Lake er fem kilometer lang, og man bør give sig god tid undervejs. Stien fører gennem fin skov, og især den første del af stien er kendt som et meget fint sted for pittaer plus Germain's Peacock Pheasant. .

Vi hørte da også både pittaer og Germain's Peacock Pheasant – men desværre fik vi dem ikke at se.

Ved Crocodile Lake har nationalparken en såkaldt substation. Her er der en lille restaurant og mulighed for primitiv overnatning. Søen er kendt som et godt sted at se Green Peafowl morgen og aften. Så heldige var vi ikke – men til gengæld så vi et væld af andre fede arter.

Her var Lesser Whistling-Duck, Lesser Adjutant, Yellow og Cinnamon Bittern plus en meget påtrængende Two-barred Greenish Warbler, som alle fik set godt.

Et hold med Thomas W. Johansen i spidsen trodsede den intense varme i solen og gik en længere tur ved søen. Og det gav pote. Her sås bl.a. Swinhoe's Snipe og Von Schrenck's Bittern.

Vi forlod Crocodile Lake sidst på eftermiddagen og gik tilbage ad stien mod vejen. Nu var pittaerne aktive, og flere fik set en meget fin Bar-bellied Pitta han i underskoven – få hundrede meter før stien nåede frem til vejen, hvor bilerne ventede på os.



Black-winged Stilt, Crocodile Lake - Cat Tien. Photo©Thomas W. Johansen



Crocodile Lake - Cat Tien.
Photo©Thomas W. Johansen

Cat Tien 5.20-18.00

(Crocodile Lake Trail and Crocodile Lake)

Scaly-breasted Partridge: 15

Red Junglefowl: 8

Siamese Fireback: 2 ♂ seen + two heard

Germain's Peacock-pheasant: 4 heard

Lesser Whistling-duck: 50

Lesser Yellownap: 1

Greater Yellownap: 1

Laced Woodpecker: 1

Common Flameback: 1

Greater Flameback: 4

Red-vented Barbet: 1-2 heard

Lineated Barbet: heard

Green-eared Barbet: 1

Blue-eared Barbet: 2 + many heard

Oriental Pied Hornbill: 3

Great Hornbill: heard 3-4 times

Wreathed Hornbill: 3

Orange-breasted Trogon: 2 heard

Chestnut-headed Bee-eater: 1

Banded Kingfisher: 1 heard

White-throated Kingfisher: 1

Pied Kingfisher: 3

Greater Coucal: common

Indian Roller: 1

Dollarbird: 1

Red-breasted Parakeet: 10

Vernal Hanging Parrot: 5

Asian Palm Swift: 2

Asian Barred Owllet: 1

Javan Frogmouth: 1 heard

Green Imperial Pigeon: 4

Pompadour Green Pigeon: 5

Thick-billed Green Pigeon: 1

Spotted Dove: 5

Red Collared Dove: 1

Emerald Dove: 2

Purple Swampphen: 15

Common Moorhen: 1

Pheasant-tailed Jacana: 2

Bronze-winged Jacana: 20

White-breasted Waterhen: 1

Ruddy-breasted Crake: 1 (EK)

Swinhoes Snipe: 1 (seen well at lakeside by TWJ, TL, SP, EAH, CAH)

Common Snipe: 1

Spotted Redshank: 1

Marsh Sandpiper: 2

Common Greenshank: 3

Green Sandpiper: 1

Wood Sandpiper: 3

Black-winged Stilt: 1

Red-wattled Lapwing: 2

Osprey: 4

White-bellied Sea Eagle: 1 imm.

Crested Serpent Eagle: 1

Rufous-bellied Eagle: 1 ad

Hawk Eagle Sp: 1 (EAH)

Oriental Honey-buzzard: 1

Sparrowhawk sp.: 1

Little Egret: 3)

Grey Heron: 1

Purple Heron: 5

Great Egret: 10

Chinese Pond Heron: 25

Yellow Bittern: 5

Von Schrenck's Bittern: 1 seen well (TWJ, TL, SP, EAH, CAH)

Lesser Adjutant: 3-5

Oriental darter: 1

Blue-rumped Pitta: 2 heard

Bar-bellied Pitta: 5 (one seen)

Banded Broadbill: 3-4 heard

Asian Fairy Bluebird: 5

Blue-winged Leafbird: 2

Greater racket-tailed Drongo: common

Bronzed Drongo: 4

Racket-tailed Treepie: 1

Black-hooded Oriole: 1

Common Iora: 1

Great Iora: 2

Large Woodshrike: 2 (TL)

Scarlet Minivet: 2

Asian Brown Flycatcher: 2

Taiga Flycatcher: 1

Grey-headed Canary Flycatcher: 1 heard

Oriental Magpie Robin: 2

White-rumped Shama: 15-20

Common Stonechat: 3

Vinous-breasted Starling: 2

Golden-crested Myna: 2

Hill Myna: 1

Barn Swallow: common

Red-rumped Swallow: common

Black-crested Bulbul: 2

Stripe-throated Bulbul: 10

Yellow-bellied Prinia: 1

Plain Prinia: 3

Dark-necked Tailorbird: 5

Lanceolated Warbler: 2

Oriental Reed Warbler: 1

Yellow-browed Leaf Warbler: 20

Artic Warbler: 1

Two-barred Warbler: 1

Pale-legged Leaf Warbler: 2

White-crested Laughingthrush: heard

Striped Tit Babbler: 10 (2 seen)

Grey-faced Tit Babbler: 10 (2 seen)

Scarlet-backed Flowerpecker: 2

Ruby-cheeked Sunbird: 2

Little Spiderhunter: 1

Paddyfield Pipit: 2

Yellow Wagtail: 1

Asian Golden Weaver: 20

Common Palm Civet: 1 seen well

Tuesday 1st of April 2008

05.20-18.30 og 19.30-20.30. Vejr: ca. 25°-33, 2/8-6/8, svag vind der blev hård sidst på eftermiddagen, hvor et tordenvejr passerede øst om os. Høj luftfugtighed.

Hovedparten af gruppen startede dagen med at vandre ad de smalle skovstier fra hovedkvarteret og frem til betonvejen nogle kilometer mod nord. Undervejs hørtes flere pittaer, men de lod sig desværre ikke se. Til gengæld sås en Orange-breasted Trogon meget flot.


Også en White-throated Rock Thrush sås fint – den blev opdaget af Jørgen, der med sit skarpe blik var usædvanlig god til at finde fuglene i den tætte skov.

Derudover der to sær-ekskursioner. Erling og Thomas Læssøe tog med bil til Crocodile Lake-stien for at se efter Bar-bellied Pitta, for nu vidste vi jo, hvor den boede. Missionen lykkedes til fulde, da de ikke blot fik set en meget fin Bar-bellied Pitta, men også så en Germain's Peacock Pheasant vandre forbi dem, mens de sad stille i underskoven. Derudover havde de endnu en kanon-obs i form af en flok gibbonaber, der fouragerede i et frugttræ.

Carl Erik var også på tur alene. Godt halvvejs ude af stien mod Crocodile Lake stien var der en lille dam, og her satte Carl Erik sig til at vente sammen med sit kamera. I løbet af formiddagen kom mange fugle ned til søen for at drikke, og Carl Erik fik en række fornemme pletsrud i kassen – bl.a. af en Sibirian Blue Robin.

Om eftermiddagen samledes vi alle, idet vi på ny hyrede nationalparkens biler og kørte ad betonvejen mod syd. Her er der flere åbne områder, og det spændende mosaiklandskab er kendt for at være et godt sted for Green Peafowl. Efter nogen søgen fandt vi også påfuglene, men det var desværre ikke alle, der fik dem set godt, inden de krøb i skjul. Green Peafowl er trods sin størrelse en svær art, da den er meget sky.

Aftenen blev afsluttet med et lidt tamt night-drive, hvor vi bl.a. så flere sambarhjorte, og to Common Palm Civet.



Cat Tien 5.20-15.00

(Heaven Rapids Trail and other trails in HQ area)

Scaly-breasted Partridge: 5
Red Junglefowl: 3
Laced Woodpecker: 2
Common Flameback: 1
Greater Flameback: 2
Black-and-buff Woodpecker: 1
Lineated Barbet: 10
Blue-eared Barbet: 2
Coppersmith Barbet: 1
Oriental Pied Hornbill: 2
Orange-breasted Trogon: 8
Blue-bearded Bee-eater: 1
Chestnut-headed Bee-eater: 2
Banded Kingfisher: 2
White-throated Kingfisher: 1
Banded Bay Cuckoo: 3
Green-billed Malkoha: 1
Greater Coucal: 5
Indian Roller: 1
Dollarbird: 2
Red-breasted Parakeet: 10
Vernal Hanging Parrot: 10
Asian Barred Owllet: 1
Brown Hawk-owl: 1 heard HQ
Great Eared Nightjar: 2
Green Imperial Pigeon: 2
Pompadour Green Pigeon: 5
Emerald Dove: 2
Crested Serpent Eagle: 1
Shikra 1
Bar-bellied Pitta: 2 heard
Black-and-red Broadbill: 4
Banded Broadbill: 1
Asian Fairy Bluebird: 3
Blue-winged Leafbird: 4
Bronzed Drongo: 5
Greater Racket-tailed Drongo: 10
Black-naped Oriole: 1
Black-hooded Oriole: 5

Great lora: 2
Scarlet Minivet: 2
Black-naped Monarch: 1
White-throated Rock Thrush: 1 ♂
Asian Brown Flycatcher: 10
Taiga Flycatcher: 1
Grey-headed Canary Flycatcher: 2
Tickell's Blue Flycatcher: 2
Siberian Blue Robin: 1 ♂ (CEM)
Oriental Magpie Robin: 1
White-rumped Shama: 3
Barn Swallow: common
Red-rumped Swallow: common
Black-headed Bulbul: 1
Black-crested Bulbul: 2
Red-whiskered Bulbul: 3
Stripe-throated Bulbul: 10
Streak-eared Bulbul: common
Ochraceous Bulbul: 1
Grey-eyed Bulbul: 3
Rufescent Prinia: 3
Dark-necked Tailorbird: 10
Dusky Warbler: 1
Yellow-browed Warbler: 4
Two-barred Warbler: 1
Pale-legged Leaf Warbler: 2
Abbots Babbler: 1
Puff-throated Babbler: 3
Scaly-crowned Babbler: 15
Striped Tit Babbler: 5
Grey-faced Tit Babbler: 5
Yellow-vented Flowerpecker: 2
Scarlet-backed Flowerpecker: 2
Ruby-cheeked Sunbird: 2
Olive-backed Sunbird: 5
Little Spiderhunter: 5

Marshes and grassland south of HQ 15.00-20.30

Red Junglefowl: 1
Green Peafowl: ♂ + female
White-throated Kingfisher: 1
Lesser Coucal: 3
Indian Roller: 2
Blossom-headed Parakeet: 2 (TWJ)
Red-breasted Parakeet: 100
Silver-backed Needletail: 2
Crested Treeswift: 3
Great Eared Nightjar: 1
Large-tailed Nightjar: 2

Green Imperial Pigeon: 50
Orange-breasted Green Pigeon: 210
Thick-billed Green Pigeon: 5
Spotted Dove: 25
Red-collared Dove: 400
Emerald Dove: 1
Red-wattled Lapwing: 2
Sparrowhawk Sp.: 1 migr. NE
Black Baza: 1
Black-shouldered Kite: 4
Oriental Honey-buzzard: 1
Purple Heron: 1
Chinese Pond Heron: 1
Brown Shrike: 1
Ashy Drongo: 2
Bronzed Drongo: 2
Greater Racket-tailed Drongo: 1
Racket-tailed Treepie: 1
Large-billed Crow: 1
Common lora: 2
Common Stonechat: 2
Pied Stonechat: 3
Vinous-breasted Starling: 2
Velvet-fronted Nuthatch: 2
Barn Swallow: common
Red-rumped Swallow: common
Sooty-headed Bulbul: 5
Streak-eared Bulbul: 10
Yellow-bellied Prinia: 6
Lanceolated Warbler: 2
Paddyfield Pipit: 2
Baya Weaver: 2

Samba Deer: 4 during nightdrive
Common Palm Civet: during nightdrive

Crocodile Lake Trail 06.00-12.00 (EK, TL)

Siamese Fireback: 1 female
Germain's Peacock-pheasant: 1 seen + several heard
Great Hornbill: 4-5 seen
Plaintive Cuckoo: 1
Bar-bellied Pitta: 1 female seen
Grey-faced Tit Babbler: 1 seen several heard
Red Muntjac: 1
Buff-cheeked Gibbon: 4-6



Siberian Blue Robin, Cat Tien. Photo©Carl Erik Mabeck

Wednesday 2nd of April 2008

Vejr Cat Tien: ca. 25°-30, 2/8, frisk vind., Vejr Dalat: Ca. 24°, 4/8

Om morgenen blev vi kørt til Heavens Rapids-stien nord for parkens hovedkvarter. En gibbon forsvandt hurtigt ind i skoven, mens den svingede sig fra gren til gren, da vi kom kørende. Skoven var her helt eventyrlig med gamle høje træer, der rakte næsten op til himlen. Det var en regnskov, der levede op til alle vores forventninger, om hvordan uberørt jungle bør se ud.

Også fuglelivet var i top. Bl.a. sås en meget fin Lesser Fish Eagle siddende i et træ, mens den spejdede ned i flodvandet efter bytte.

Vi fandt også en Banded Kingfisher han, der var så smuk, at den var ved at tage pusten fra os.

Klokken 11 måtte vi med en vis vemod forlade Cat Tien. Vi tog den lille færge til den anden side af floden, hvor bussen ventede på os, og nu var der en engelsk-talende guide med. Han præsenterede sig selv som Nicky - vel vidende, at det var nemmere for de udenlandske turister end at benytte hans vietnamesiske navn.

Fra Cat Tien satte vi kurs mod Da Lat - en busrejse på fire timer, og det var endda ikke medregnet frokostpausen undervejs.

En rejse gennem det vietnamesiske landskab imponerer ved sin fugletohmhed. Det er sjældent at man i andre lande kan køre så langt og se så få fugle. Til gengæld er menneskemyldret intens.

Det rige fugleliv i Vietnam er kun bevaret i skovene. I det åbne land ses kun nogle få mynaer, rishejrer og skovspurve. Alt andet er endt i gryderne, da jagttrykket er meget hårdt i Vietnam.

Inden der blev mørkt, nåede vi at besøge Dantala Vandfaldet et par kilometer syd for Da Lat. Vandfaldet er omgivet af en smuk fyrreskov, men desværre har både vandfaldet og skoven været udsat for en tivolisering, så området nu har mere karakter af park end af natur. Det er derfor ikke så overraskende, at der skal betales entre til stedet.

En meget lang trappe fører fra p-pladsen ned til selve faldet. Anstrengelserne ved den lange tur op og ned af trappen bar imidlertid frugt, da vi så både Blue Whistling Thrush og Slaty-backed Forktail ved vandfaldet.

I skumringen fortsatte vi derpå til vort hotel i Da Lat.

Da Lat by ligger i over 1400 meters højde, og vi kunne alle mærke, at vi nu var kommet til et noget køligere klima. Selv om her på ingen måde var koldt, følte vi, at her kunne vi ånde. I modsætning til Cat Tien blev tøjet ikke klamt af sved en halv time efter at vi havde taget det på.

Om aftenen førte Nicky os hen til en fin restaurant, men det var ikke nogen succes. Betjeningen var langsom, og maden var ikke noget særligt.

Cat Tien 05.20-11.00

(Lagerstroemia Forest Trail and Heaven Rapid's Falls Trail)

Scaly-breasted Partridge: 1 heard

Red Junglefowl: 3 heard

Speckled Piculet: 1 (CEM)

White-bellied Woodpecker: 3

Laced Woodpecker: 2

Common Flameback: 1 heard

Rufous Woodpecker: 2

Black-and-buff Woodpecker: 1

Heart-spotted Woodpecker: 2

Lineated Barbet: 3

Red-vented Barbet: 2

Blue-eared Barbet: 3

Oriental Pied Hornbill: 1

Great Hornbill: 2-3 heard

Blue-bearded Bee-eater: 1

Chestnut-headed Bee-eater: 2

Banded Kingfisher: 3 heard

Stork-billed Kingfisher: 1

White-throated Kingfisher: 1

Black-capped Kingfisher: 1

Banded Bay Cuckoo: 4 heard

Violet Cuckoo: 2 calling

Green-billed Malkoha: 1

Greater Coucal: 2

Indian Roller: 3

Dollarbird: 2

Red-breasted Parakeet: 10

Vernal Hanging Parrot: 5

Silver-backed Needletail: 2

Asian Palm Swift: 4

Crested Treeswift: 1

Asian Barred Owlet: 2

Great Eared Nightjar: 1

Pompadour Green Pigeon: 5

Thick-billed Green Pigeon: 2

Emerald Dove: 3

Osprey: 1

Lesser Fish Eagle: 1 ad.

Chinese Pond Heron: 1

Buf-cheeked Gibbon: 1

Black-shanked Douc: A group of 4-5

Long-tailed Macaque: a few

Cat Tien – Da Lat 11.00-16.30

Green Bee-eater: 10

Blue-tailed Bee-eater: 1

White-breasted Kingfisher: 1

Indian Roller: 1

Oriental Honey-buzzard: 1

Blue-tailed Bee-eater: 1

Brown Shrike: 4

Sooty-headed Bulbul: 1

Datanla Waterfall, Da Lat 16.30-18.00

Grey-capped Pygmy Woodpecker: 4

Red-vented Barbet: 1

Banded Bay Cuckoo: 1

Indian Cuckoo: 2 heard

House Swift: 25

Mountain Imperial Pigeon: 3

Spotted Dove: 2

Burmese Shrike: 1

Ashy Drongo: 1

White-throated Fantail: 1

Blue Whistlingthrush: 1 at waterfall

Little Pied Flycatcher: 1

Mugimaki Flycatcher: 2

Large Niltava: 2

Slaty-backed Forktail: 2-3 at waterfall

Black Bulbul: 2

White-cheeked Laughingthrush: 10

Spot-breasted Babbler: 2 (TWJ, HW)

Streaked Spiderhunter: 1

Olive-backed Pipit: 3

Scaly-breasted Munia: 1

Thursday 3rd of April 2008

Vejr Dalat: Morning 18-20°C/max. 25°C, 1/8-8/8 and drizzle rain

På trods af, at vi aftenen før havde aftalt med hotellet, at vi skulle have morgenmad kl. 5.30, måtte vi alligevel vente på at personalet, der skulle lave vores morgenmad, først skulle til at stå op, da vi mødte op i hotellets restaurant.

Efter nogen ventetid lykkedes det at få tryllet lidt morgenmad frem, og derefter kørte vi straks til bjerget Mount Lang Bian 20 minutters kørsel nord for Da Lat.

Det isolerede højland omkring Da Lat er kendt for at huse flere endemiske fuglearter og racer. Flere af dem er ganske svære at finde, men Mount Lang Bian er kendt for at være et godt sted til at se flere af dem.

Det begyndte godt. Da vi steg ud af bussen ved p-pladsen fandt vi ret hurtigt en flok Vietnamese Greenfinches i de nærliggende marker.

Derpå skulle der betales for entre og kørelejlighed, for almindelige biler og busser må ikke køre op ad bjerget, der rejser sig til en højde på 2167 meter. I stedet er man nødt til at hyre særlige jeeps, der kører op af bjergvejen.

Vi fyldte tre jeeps, og aftalte, at de skulle hente os først på eftermiddagen. Derpå vandrede vi ad en sti, hvor vi først var i en fin fyrreskov og derpå kom ned i en dal med gammel løvskov, der her var meget, meget tæt.

Fyrreskoven var ganske fuglerig. Vi så bl.a. Grey-capped Tit og Chestnut-vented Nuthatch, og da vi nåede frem til løvskoven, havde vi også her heldet med os.

Skoven var så tæt, at vi inddelte os i mindre grupper. Det var derfor ikke alle, der så det hele, men flere fik set den sjældne Collared Lauhingthrush. Også Sibirisk Drossel blev set fint af de fleste.

Efter en sen frokost forsøgte vi at finde Ta Nung Valley, der er et kendt fuglested, men vi havde ikke heldet med os. Vi fandt frem til en helt forkert dal, men det var langtfra spildt, for også her var der fine fugle. Bl.a. sås en meget smuk Hwamei, der her er på sin absolutte sydgrænse for sin udbredelse.

Mt. Lang Bian 6.40-13.30

(Clear in the morning, later cloudy)

Grey-capped Pygmy Woodpecker: 3

Golden-throated Barbet: 5

Drongo Cuckoo: 5 calling

Asian Palm Swift: 1

House Swift: 10

Asian Barred Owlet: 1 calling

Mountain Imperial Pigeon: 5

Spotted Dove: 3

Common Buzzard: 1

Burmese Shrike: 1

Ashy Drongo: 3

Eurasian Jay: 2

Large Cuckooshrike: 3

White-throated Fantail: 1

Blue Whistling Thrush: 2



Vietnamese Greenfinch. Photo©Carl Erik Mabeck,
Mt Lang Bian:Photo©Thomas W. Johansen



Siberian Thrush: 2 (one adult male)	White-br. Scimitar Babbler: 1 heard (TA,GG)	Fork-tailed Swift: 1
Asian Brown Flycatcher: 1	Rufous-capped Babbler: 3	Collared Scops Owl: 1 calling
Large Niltava: 2 (CEM)	White-browed Shrike Babbler: 3	Large-tailed Nightjar: 6
Lesser Shortwing: 10 heard	Blue-winged Minla: 2	Mountain Imperial Pigeon: 3
Grey Bushchat: 2	Mountain Fulvetta: 10	Spotted Dove: 5
Chestnut-vented Nuthatch: 6	Black Headed Sibia: 3	White-breasted Waterhen: 2
Brown-throated Treecreeper: 1 (TWJ)	Ms. Goulds Sunbird: 3	Common Sandpiper: 1
Green-backed Tit: 8	Green-tailed Sunbird: 4	Black-shouldered Kite: 3
Grey-capped Tit: 10	Paddyfield Pipit: 1	Aquila sp: 1
Barn Swallow: 5	Olive-backed Pipit: 10	Cattle Egret: 11
Red-rumped Swallow: 25	Tree Sparrow: 10	Chinese Pond Heron: 2
Northern House Martin: 3	Scaly-breasted Munia: 20	Burmese Shrike: 4
Red-whiskered Bulbul: 2	Vietnamese Greenfinch: 15	Ashy Drongo: 3
Flavescent Bulbul: 2		Racket-tailed Treepie: 1
Mountain Bulbul: 3	<u>Mt. Lang Bian – Dalat</u>	Blue Rock Thrush: 1 ♂
Black Bulbul: 2	Crested Myna: 2	Chestnut-tailed Starling: 2
Brown Prinia: 1		Black-collared Starling: 6
Mountain Tailorbird: 10	<u>(Wrong) Ta Nung Valley</u>	Barn Swallow: 5
Dark-necked Tailorbird: 1	- NE of Dalat 16.10-18.00	Red-whiskered Bulbul: 2
Oriental Reed Warbler: 1		Sooty-headed Bulbul: 1
Ashy-throated Leaf Warbler: 2	Red Junglefowl: 3	Black Bulbul: 1
Yellow-browed Warbler: 25	Greater Flameback: 2	Yellow-browed Leaf warbler: 25
Blyth's Leaf Warbler: 5	Plaintive Cuckoo: 2 calling	White-cheeked Laughingthrush: 4
White-tailed Leaf Warbler: 10	Oriental Cuckoo: 1	Hwamei: 1 (seen well by all)
Grey-bellied Tesia: 2 heard	Greater Coucal: 2	
Collared Laughingthrush: 1-2	House Swift: 100	

Friday 4th of April 2008

Vejr Dalat: Morgen 18-20°/max. 25°, 1/8-4/8 – op ad dagen frisk vind

Belært af de dårlige erfaringer ved morgenmaden dagen før, havde vi i dag fået Nicky til at købe ind til morgenmad samt frokost, som vi kunne indtage i felten. Men først skulle vi frem til dagens mål – skovene ved Deo Nui San, der viste sig at ligge to timers buskørsel syd for Da Lat.

Den lange kørsel var imidlertid så rigeligt ulejligheden værd. Skovene ved Deo Nui San var meget fine – tilmed var her mange rovfugle, og det er noget, man ellers ikke ser i Vietnam.

Vi startede dagen med at gå en tur langs med vejen. Skoven imponerede med sin fuglerigdom, og da vi efter morgenturen spiste morgenmad ved vejen, fortsatte fuglene med at forstyrre os, idet vi så både Black Eagle og Rufous-bellied Eagle.

Vi havde svært ved at finde den rette sti ind i skoven. Men til sidst lykkedes det. Stien udgår bag et lille tehus, der ligger ved et vandløb, der var en attraktion i sig selv, da skovbækken viste sig at huse Spotted Forktail – måske den smukkeste af Asiens forktails.

Derpå fortsatte vi op ad stien, der viste sig at være meget stejl. Her blev fårene skilt fra bukkene, for det var ikke alle, der magtede at komme op. Mens hovedparten af gruppen knoklede op ad bjergskræningen og til sidst blev belønnet med at nå frem til et område med fin skov og mange gode fugle, var der en lille udbrydergruppe, der i stedet holdt til ved tehuset og den nærliggende skovbæk, hvor den smukke forktail var en villig fotomodel.

Sidst på eftermiddagen var alle samlet igen, og her kunne vi bl.a. nyde synet af en Longtailed Broadbill i et træ ved vores bus, inden vi trætte, men tilfredse efter en god dag, kørte tilbage mod Da Lat.



Di Linh Pass – Deo Nui San Kl. 7.30-17.00

Rufous-throated Partridge: 2
 Silver Pheasant: 1 female (TL)
 Woodpecker sp.: 1
 Red-vented Barbet: 1
 Golden-throated Barbet: 2
 Black-browed Barbet: 10
 Banded Bay Cuckoo: 5
 Vernal Hanging Parrot: 4
 House Swift: 25
 Collared Owlet: 2 calling (TWJ)
 Asian Barred Owlet: 2
 Mountain Imperial Pigeon: 5
 Wedge-tailed Green Pigeon: 10
 Barred Cuckoo Dove: 7
 Black Eagle: 3
 Rufous-bellied Eagle: 2-3 ad
 Crested Goshawk: 2-3
 Changeable Hawk Eagle: 1 ad
 Blue Pitta: 1 seen (TWJ) and 3 heard
 Long-tailed Broadbill: 1 singing
 Asian Fairy Bluebird: 40
 Ashy Drongo: 5
 Bronzed Drongo: 4
 Lesser Racket-tailed Drongo: 5

Maroon Oriole: 10
 Indochinese Cuckooshrike: 1
 Bar-winged Flycatcher-shrike: 6
 Scarlet Minivet: 7
 Eye-browed Thrush: 250
 Green Cochoa: 2 (DK, TL, TWJ)
 Asian Brown Flycatcher: 1
 Verditer Flycatcher: 10-15
 Grey-headed Canary Flycatcher: 2
 Large Niltava: 4
 Lesser Shortwing: 1
 Spotted Forktail: 2-3
 Green-backed Tit: 1
 Grey-crowned Tit: 10
 Barn Swallow: 1
 Red-rumped Swallow: 50
 House Martin: 1
 Asian House Martin: 5
 Sooty-headed Bulbul: 1
 Flavescent Bulbul: 30
 Ashy Bulbul: 4
 Mountain Bulbul: 1
 Black Bulbul: 10
 Dark-necked Tailorbird: 5
 Radde's Warbler: 2
 Blyth's Leaf Warbler: 2

White-tailed Leaf Warbler: 2
 Black-hooded Laughingthrush: 2 flocks heard
 White-cheeked Laughingthrush: 20-40
 Orange-breasted Laughingthrush: 2 heard - one seen in a glimpse
 Large Scimitar Babbler: 1 heard (TA)
 Red-billed Scimitar Babbler: 2
 White-browed Scimitar Babbler: 1 heard
 Rufous-capped Babbler: 1
 White-browed Shrike Babbler: 4
 Mountain Fulvetta: 2
 Black-headed Sibia: 3
 Grey-headed Parrotbill: 10
 White-bellied Yuhina: 1
 Ruby-cheeked Sunbird: 1
 Little Spiderhunter: 1
 Streaked Spiderhunter: 4
 Olive-backed Pipit: 1
 Vietnamese Greenfinch: 5

Returntrip to Da Lat:

Barn Owl: 1 (TA)

Saturday 5th of April 2008

Vejr Dalat: Morgen 18-20°/max. 30°, 1/8-4/8 – sidst på dagen hård vind

Igen i dag havde vi købt ind til morgenmad i felten. Dagens mål var Ta Nung Valley, og denne gang fandt vi hurtigt frem til den rette dal, der viste sig at ligge blot otte kilometer vest for Da Lat.

Området er ikke ret stort, men meget fuglerigt.

Vi var kun nået få hundrede meter ned ad stien, da vi hørte den endemiske Orange-breasted Laughingthrush synge i en tæt busk lige ved siden af os. Her sad den længe og sang, men trods alle vores anstrengelser for at finde den, fik vi desværre ikke set den.

Vi fortsatte ned ad stien og ind i skoven, der bl.a. bød på Lesser Shortwing, Little Pied Flycatcher og Mrs. Goulds Sunbird. Nogle fik tilmed set Orange-breasted Laughingthrush, og næsten alle fik set specialiteten Grey-crowned Crocias.

Efter det vellykkede besøg ved Ta Nung Valley, drog vi til Dantala, hvor vi spiste frokost, og herfra videre til Tuyen Lam Lake. Ved søbredden hyrede vi en båd til at sejle os tværs over søen, da skovene på den anden side er kendt for at være gode - bl.a. er det muligt at se den endemiske Yellow-billed Nuthatch her.

Det lykkedes desværre ikke at finde den sjældne spætmejsse, men det var alligevel en fin tur. Bl.a. sås Gråspætte ved redehul, mange forskellige småfugle, og på sejlturen tilbage sås adskillige fiskeørne tæt på os. Da søen var omgivet af store fyrreskove, kunne man for en stund føle sig hensat til Sverige.

Om aftenen besøgte vi et marked i Da Lat.



Grey-crowned Crocias, Ta Nung Vally. Photo©Jørgen Kruse

Ta Nung Valley 06.00-12.00

(6 km west of Da Lat old Airport)

Rufous-throated Partridge: 1 heard (TA)

Red Junglefowl: 1

Lesser Yellowname: 2

Greater Yellowname: 1

Bay Woodpecker: 2-3

Red-vented Barbet: 2

Black-browed Barbet: 10

Red-headed Trogon: 1 heard (TA)

Banded Bay Cuckoo: 1

Green-billed Malkoha: 2

Greater Coucal: 1

Asian Palm Swift: 2

Mountain Imperial Pigeon: 3

Thick-billed Green Pigeon: 1

Wedge-tailed Green Pigeon: 2

Barred Cuckoo Dove: 3

Crested Sereant-eagle: 1

Fairy Bluebird: 15

Lesser Racket-tailed Drongo: 2

Bronzed Drongo: 2

Ashy Drongo: 2

Bar-winged Flycatcher-shrike: 2

Long-tailed Minivet: 2 (a pair)

Scarlet Minivet: 2

White-throated Fantail: 2

White-throated Rock Thrush: 1 female

Verditer Flycatcher: 5

Grey-headed Canary Flycatcher: 5

Mugimaki Flycatcher: 1

Little Pied Flycatcher: 2

Large Niltava: 2

Lesser Shortwing: 5

Grey-capped Tit: 6

Hill Prinia: 5

Flavescent Bulbul: 5

Puff-throated Bulbul: 2

Ashy Bulbul: 3

Mountain Bulbul: 2

Black Bulbul: 10

Hill Prinia: 1

Yellow-browed Leaf Warbler: 10

Blyth's Leaf Warbler: 1

Chestnut-crowned Warbler: 1

Black-Hooded Laughingthrush: flock heard

White-cheeked Laughingthrush: 20

Orange-breasted Laughingthrush: 1

- seen and heard singing at close range.

White-browed Scimitar Babbler: 1

White-browed Shrike Babbler: 1

Pygmy Wren Babbler: 1

Blue-winged Minla: 2

Grey-crowned Crocias: 4-6

Rufous-backed Sibia 2-3

Grey-headed Parrotbill: 1

Streaked Spiderhunter: 1

Mrs. Gould's Sunbird: 2

Black-throated Sunbird: 2

Vietnamese Greenfinch: 5

Black Giant Squirrel: 1

Datanla Falls 12.30-13.30


Grey-headed Woodpecker: 1 calling
Mugimaki Flycatcher: 1
Verditer Flycatcher: 1
Indian Cuckoo: 1

Ty am Lake 16.10-18.00

Little Grebe: 35
Grey-capped Pygmy Woodpecker: 1
Grey-headed Woodpecker: 2
- Feeding youngs in the nesthole.
Black-browed Barbet: 1
Indian Cuckoo: 1
Hoopoe: 1
Spotted Dove: 5
Mountain Hawk Eagle: 1
Osprey: 2
Little Egret: 4
Chinese Pond Heron: 5
Oriental Darter: 7
Little Cormorant: 2

Burmese Shrike: 1
Ashy Drongo: 2
Eurasian Jay: 1
Maroon Oriole: 3
Bar-winged Flycatcher-shrike: 2
Small Minivet: 2 (a pair)
White-throated Fantail: 1
Verditer Flycatcher: 1
Lesser Shortwing: 1
Grey Bushchat: 2
Black-collared Starling: 5
Chestnut-vented Nuthatch: 3
Green-backed Tit: 4
Yellow-cheeked Tit: 2
Grey-capped Tit: 2
Red-rumped Swallow: 5
Flavescent Bulbul: 5
Puff-throated Bulbul: 2
Ashy Bulbul: 5
Black Bulbul: 15
Hill Prinia: 5

Dark-necked Tailorbird: 4
Yellow-browed Leaf Warbler: 10
Blyth's Leaf Warbler: 4
Chestnut-crowned Warbler: 5
Black-Hooded Laughingthrush: flock heard
White-cheeked Laughingthrush: 20
Orange-breasted Laughingthrush: 1 sing
White-browed Scimitar Babbler: 1 singi
Pygmy Wren Babbler: 1 heard
White-browed Shrike Babbler: 1
Chestnut-fronted Shrike Babbler: 2
Mountain Fulvetta: 10
Grey-crowned Crocias: 4-6
Rufous-backed Sibia: 2-3
Black-headed Sibia: 1
Grey-headed Parrotbill: 1
Mrs. Gould's Sunbird: 6
Black-throated Sunbird: 4
Streaked Spiderhunter: 2
Vietnamese Greenfinch: 5



Datanla Falls. Photo©Thomas W. Johansen

Sunday 6th of April 2008

En lang, lang rejsedag. Vi kørte fra Da Lat kl. 5.30 med kurs mod Saigon. Hovedparten af strækningen kørte vi med en fart på kun 40 til 60 kilometer i timen som følge af den tætte trafik og de smalle veje. Ved 12.30-tiden nåede vi frem til lufthavnen i Saigon. Vores fly til Hanoi skulle planmæssigt afgang kl. 14, men da der var ledig plads på et fly en halv time før, blev vi booket om til den tidligere afgang.

Flyrejsen til Hanoi tog planmæssigt knapt to timer, men da vi landede i Hanoi, førte vores tidlige afrejse fra Saigon blot til ekstra ventetid i Hanoi, inden vores nye bus og engelsktalende guide Thong (Tom) dukkede op. De vidste jo ikke, at vi var kommet med et tidligere fly.

Derpå fortsatte den lange rejsedag med endnu en busrejse i timevis. Vi holdt en pause undervejs for at spise middag, men ellers sad vi i bussen, indtil vi ved 22-tiden nåede frem til nationalparken Xuan Thuy ved Røde Flodens delta.

Om aftenen havde Thomas og Søren en lang snak med bådførerne om næste dags program, og her gik op for os, at det ikke ville blive nemt at få arrangeret de ønskede sejladsere til de yderste øer i deltaet. Bådførerne var nemlig vant til kun at sejle et par standardture i nationalparkcentrets umiddelbare nærhed, hvor de kunne fremvise nogle ænder og hejrer. Det skulle nogle tilrejsende turister ikke uden videre lave om på.

Til sidst lykkedes det dog at få en god aftale for den næste dag.

Da Lat – Ho Chi Minh:

Hornbill sp. (Wreathed?): 3

Black-shouldered Kite: 1

Common Mynah: 2

Black-collared Starling: 2

Ashy Wood-Swallow: 1





Monday 7th of April 2008

Vejr: Morgen 22°/max. 25°, 8/8-7/8 – støvregn og tåge, sidst på dagen lidt sol.

Tidlig afgang med to både gennem deltalandet. Nu var vi i en helt anden biotop med vadefugle og terner. Vejret var også skiftet. Varmen var ikke mere nær så trykkende. Til gengæld var her diset og overskyet.

Det virkede helt hjemligt - og alligevel meget eksotisk. Vi holdt pause ved nogle meget fuglerige fiskedamme. Her sås en flok sjældne skestørke i form af Blackfaced Spoonbill, og mange spændende vadere, bl.a. to Gråklirer og en Nordmann's Hvidklire. Der var også mange mongolske præstekraver plus ørkenpræstekrave, terekklire og ryler af forskellige arter. Vi fortsatte videre ad de smalle kanaler og kom nu ud i et tåget vadehav. De lokale muslinge- og sneglefiskere har her bygget utallige hytter på høje pæle, der som tårne rager op af havet. I tågen udgjorde de en sælsom kulisser.

En fed tågebanke kom pludselig drivende, og Søren og Thomas' båd mistede kontakten med hinanden. I den næste halve time var det tydeligt, at bådføreren i Søren's båd ikke anede, hvor han var, men til sidst lykkedes det at finde den sydlige Con Lu ø og dermed også Thomas' båd. Da vi alle var genforenet og var kommet i land på øen, glemte vi snart alt om besværet med at komme herud. Øen var meget spændende med både rastende småfugle og godt med vadefugle, da øerne i den yderste del af deltaet fungerer som rasteplasser for vadefuglene ved højvande. Pludselig bebudede Tim, at han havde en skeryle i teleskopet. Den var lidt langt væk, men efterhånden fik vi den alle at se.

Vi listede os lidt nærmere, og selv om den stadig var lidt langt væk, så vi alle tydeligt dens spadeformede næb. Dens særprægede næb var særlig nemt at se, når den pudsede sig. Set i profil kunne næbbets skeform være vanskelig at erkende.

Snart blev det imidlertid igen mere tåget, og pludselig begyndte den ene bådfører, der var gået med at os i land, at vandre væk fra os. En enkel gang sagde han "boat" og "tide", og da han øjensynligt ville have os til at følge ham, begyndte vi at gå efter ham. Det var lettere sagt end gjort, for han gik meget stærkt. I løbet af et øjeblik var han næsten forsvundet i tågebankerne, mens vi begav os ud på de vidtstrakte vadeblader. Uden at se sig tilbage for at tjekke om vi var der eller ej, skruede vores bådfører op for tempoet, så vi andre måtte halse af sted for ikke at miste kontakten med ham i tågen. Det var noget frustrerende, og frustrationen blev ikke mindre, da vi undervejs fandt endnu en skeryle, men havde alt for kort tid til at se på den.

Først da bådføreren var nået ud til nogle dybe tidevandsrender, satte han farten ned. Her gik han først i den ene og så i den anden retning for at finde vores både. Til sidst lykkedes det at få kontakt med bådene, og i dagens sidste lys sejlede vi tilbage mod vores logi ved nationalparkens hovedkvarter.

Xuan Thuy 6.00-18.00

Fishponds and southern part of Con Lu island

Spot-billed Duck: 5
Common Teal: 2-3
Common Kingfisher: 6-8
White-throated Kingfisher: 3
Black-capped Kingfisher: 2
Pied Kingfisher: 5
Banded Bay Cuckoo: 1
Greater Coucal: 4
Oriental Turtle Dove: 1
Purple Swampphen: 10
Common Moorhen: 1
Slaty-breasted Rail: 4
White-breasted Waterhen: 2
Black-tailed Godwit: 40
Whimbrel: 1
Eurasian Curlew: 1
Spotted Redshank: 5
Common Redshank: 200
Marsh Sandpiper: 50
Common Greenshank: 250
Nordmann's Greenshank: 1 in fishponds
Green Sandpiper: 1
Wood Sandpiper: 75

Terek Sandpiper: 3
Common Sandpiper: 10
Grey-tailed Tattler: 1 in fishponds
Ruddy Turnstone: 1
Sanderling: 10
Spoon-billed Sandpiper: 2
- on southern most Con Ly Island
Red-necked Stint: 50
Broad-billed Sandpiper: 3
Great Knot: 1
Red Knot: 10
Dunlin: 10
Curlew Sandpiper: 20
Little Ringed Plover: 6
Kentish Plover: 50
Lesser Sand Plover: 650
Greater Sand Plover: 75
Pacific Golden Plover: 50
Grey Plover: 10
Caspian Tern: 2
Gull-billed Tern: 50
Whiskered Tern: 1
Eastern Marsh Harrier: 5-10
Little Egret: 300
Chinese Egret: 2
Grey Heron: 15

Great Egret: 50
Intermediate Egret: 40
Cattle Egret: 50
Chinese Pond Heron: 25
Little Heron: 1
Black-faced Spoonbill: 15
Long-tailed Shrike: 10
Black Drongo: 5
Eurasian Blackbird: 1
Hainan Blue Flycatcher: 2
Asian Brown Flycatcher: 1
Common Stonechat: 10
Ashy Wood Swallow: 1
White-shouldered Starling: 2
Great Tit: 2
Barn Swallow: 2
Red-whiskered Bulbul: 2
Blunt-winged Warbler: 1
Radde's Warbler: 1
Yellow-browed Warbler: 2
Paddyfield Pipit: 2
Olive-backed Pipit: 1
Red-throated Pipit: 2
Yellow Wagtail: 100
Eurasian Tree Sparrow: 2



Common Kingfisher, Xuan Thuy. Photo©Thomas W. Johansen



Scaly Thrush, Con Lu Island, Xuan Thuy. Photo©Thomas W. Johansen



Bluethroat, Con Lu Island, Xuan Thuy. Photo©Svend Petterson



Oriental White-eye Con Lu Island, Xuan Thuy. Photo©Jørgen Kruse



Oriental Plover, Con Lu Island, Xuan Thuy. Photo©Thomas W. Johansen

Tuesday 8th of April 2008

Vejr: Morgen 20°/max. 27°, 2/8 - Klart vejr men blæsende. Op ad dagen frisk til hård vind. Xuan Thuy (inkl. Nordlig Con Ly Island) 6.00-18.00

Denne morgen var tågen væk. Men det var også lavvande og vores både var strandet på en mudderbanke i havnen. Vi startede derfor dagen med at gå en tur på godt en time. Da vi var tilbage ved havnen, var det stadig uklart, hvornår bådene kunne sejle. Vi besluttede os derfor til at vandre ud til observationstårnet ved den gamle rangerstation. Her kunne vi blive afhentet af en båd ved højvande og derpå sejle til den nordlige Con Lu ø.

I fugleflugtslinje var afstanden til den gamle rangerstation omkring fem kilometer, men det gik hurtigt op for os, at den reelle afstand var meget større, da vi jo var nødt til at zig-zagge os frem, når vi skulle gå på de smalle dæmninger mellem fiskedammene, der i øvrigt var overraskende fuglefattige.

Vi havde en guide med fra nationalparken for at vise os vej, men det endte med, at han førte os ud i det rene mudderbad, idet han guidede os hen til en række dæmninger, hvor der lige var lagt et metertykt lag nyopgravet mudder på toppen. Flere blev gevaldigt smurt ind i mudder, bl.a. Søren, der gled i det glatte mudder og i faldet tabte okularet til sit teleskop. Heldigvis blev det fundet af Jørgen, som heltemodigt vendte om for at lede efter det.

En gruppe med Thomas W og Tim vendte klogeligt om og gik i stedet en omvej. Undervejs fandt de en ny art for Vietnam i form af en Pallas Rørspurv, og tilmed undgik de helt at blive mudret til.

Da det blev højvande, og vi var kommet i land på den nordlige Con Lu ø, fik vi en spændende eftermiddag i selskab med et væld af rastende småfugle – bl.a. gulddrosler og dværgværling, som alle blev set godt. Også slørugle sås fint, men det, der gjorde størst indtryk var det uventede fund af en rastende Oriental Plover i sommerdragt. En fugl, som det ellers er meget svært at få at se i Sydøstasien.

Xuan Thuy 6.00-18.00

(incl. Northern Con Lu Island)

Spot-billed Duck: 4
Common Teal: 17
Garganey: 6
Common Kingfisher: 5
White-throated Kingfisher: 1
Black-capped Kingfisher: 3
Pied Kingfisher: 4
Greater Coucal: 4
Lesser Coucal: 1
Barn Owl: 1 (on Con Ly Island)
Short-eared Owl: 1 (on Con Ly Island)
Spotted Dove: 4
Red-collared Dove: 5
White-breasted Waterhen: 2
Common Moorhen: 2
Pintail Snipe: 1
Black-tailed Godwit 100
Spotted Redshank: 10
Marsh Sandpiper: 25
Green Sandpiper: 1
Wood Sandpiper: 10
Common Sandpiper: 5
Sanderling: 1
Red-necked Sandpiper: 10
Broad-billed Sandpiper: 6
Dunlin: 10

Curlew Sandpiper: 35
Little Ringed Plover: 2
Kentish Plover: 25
Lesser Sand Plover: 150
Greater Sand Plover: 10
Oriental Plover: 1 ad male in breedi. plum.
Siberian Gull: 1 imm (on Con Ly Island)
Gull-billed Tern: 100
Whiskered Tern: 3
Eastern Marsh Harrier: 3
Black-shouldered Kite: 1
Osprey: 1
Merlin: 2
Peregrine Falcon: 3-4
Little Egret: 100
Grey Heron: 40
Great Egret: 25
Purple Heron: 2
Intermediate Egret: 5
Cattle Egret: 100
Chinese Pond Heron: 10
Little Heron: 1
Black-crowned Night Heron: 1 (2 Cy)
Burmese Shrike: 2
Long-tailed Shrike: 20
Black Drongo: 50
Ashy Drongo: 2
Spangled Drongo: 4
Blue Rock Thrush: 2

Scaly Thrush: 2
Grey-backed Thrush: 1♂+1♀
Japanese Thrush: 2♂♂
Eurasian Blackbird: 10
Eye-browed Thrush: 1♀
Asian Brown Flycatcher: 1
Hainan Blue Flycatcher: 2
Taiga Flycatcher: 1
Oriental Magpie Robin: 3
Ashy Woodswallow: 3
Chestnut-tailed Starling: 2
White-shouldered Starling: 6
Great Tit: 6
Barn Swallow: 5
Light-vented Bulbul: 10
Sooty-headed Bulbul: 6
Yellow-bellied Prinia: 2
Dusky Warbler: 8
Yellow-browed Warbler: 5
Paddy-field Pipit: 1
Olive-backed Tree Pipit: 10
Red-throated Pipit: 3
Yellow Wagtail: 25
House Sparrow: 10
Little Bunting: 1
Black-faced Bunting: 1♂+1♀
Pallas' Reed Bunting: 1 (TA, TWJ, EAH)
- flying over and calling. (fishponds)



Con Lu Island, Xuan Thuy. Photo©Thomas W. Johansen

Wednesday 9th of April 2008

Vejr: Morgen 20°/max. 27°, 2/8 - Klart vejr men blæsende.

I dag havde vi delt os i to hold. Hovedparten fulgtes med Thomas W. på en lang gåtur gennem fiskedammene til de gode damme med skestørke og vadefugle, som vi havde besøgt 7. april. Belønningen for den lange gåtur var stor, for her blev der set et par Asian Dowitcher.

Også Gråkliren sås og skestorkene (Black-faced Spoonbill) sås meget bedre denne gang. Det lykkedes for Thomas W at få nogle fine fotos af de sjældne skestørke.

Søren, der sammen med Svend, Carl Erik, Dorrit, Jørgen og Hans drog til den sydlige Con Lu ø, havde også en god dag. Desværre lykkedes det ikke at genfinde skerylerne, formentlig fordi bådføreren ville sejle hjem, netop som det var blevet højvande og vadefuglene var ved at indfinde på øen. Men til gengæld sås mange rastende småfugle, bl.a. en smuk rubinnattergal han og en fin blåhals.

Xuan Thuy Kl. 6.00-18.00

(Fishponds: TWJ, GG, TA, CAH, HW, EAH, EK, TL)

Eurasian Wigeon: 9
Spot-billed Duck: 10
Northern Shoveler: 7
Garganey : 105
Common Teal: 5
Little Grebe: 3
Common Kingfisher: 5
Black-capped Kingfisher: 3
Pied Kingfisher: 10
Oriental Cuckoo: 1
Greater Coucal: 3
Fork-tailed Swift: 100
Spotted Dove: 2
Red-collared Dove: 2
Purple Swamphen: 2
Common Moorhen: 4
White-breasted Waterhen: 4
Slaty-breasted Rail: 1
Black-tailed Godwit: 85
Asian Dowitcher: 2 (♂+♀)
Whimbrel: 20
Spotted Redshank: 15
Common Redshank: 100

Marsh Sandpiper: 20
Common Greenshank: 100
Normann's Greenshank: 1
Terek Sandpiper: 3-4
Common Sandpiper: 10
Grey-tailed Tattler: 1 (3)
Wood Sandpiper: 120
Dunlin: 1
Curlew sandpiper: 6
Lesser Sand Plover: 25
Greater Sand Plover: 10
Grey Plover: 15
Oriental Pratincole: 2
Eastern Marsh Harrier: 10
Black-shouldered Kite: 1
Peregrine Falcon: 1
Grey Heron: 30
Great Egret: 10
Cattle Egret: 400
Little Egret: 20
Chinese Pond Heron: 75
Yellow Bittern: 1
Black-faced Spoonbill: 25 (2 with Korean rings)
Long-tailed Shrike: 15
Black Drongo: 25

Ashy Drongo: 1
???Swinhoes Minivet: 2
Common Stonechat: 100
Great Tit: 2
Sand Martin: 1
Barn Swallow: 25
Red-Rumped Swallow: 4
Light-vented Bulbul: 15
Dusky Warbler: 2
Yellow-browed Leaf Warbler: 4
Japanese White-eye: Heard often in the mangrove
Sunbird sp: 10 (Dark sunbirds with dipper-like call)
Red-throated Pipit: 2
Paddyfield Pipit: 1
Yellow Wagtail: 16.000 S for roost
Yellow Breasted Bunting: 1 ♂
Black-faced Bunting: 1 singing ♂

Con Lu southernmost Islands 9.00-15.30 (SøS, CEM, DK, SP, JK, HW)

Common Kingfisher: 1
Black-capped Kingfisher: 6
Large Hawk Cuckoo: 1-2
Oriental Cuckoo: 1



Lesser Coucal: 1-2
Fork-tailed Swift: 2
Rail sp: 1
Bar-tailed Godwit: 1
Common Redshank: 20
Marsh Sandpiper: 1
Common Greenshank: 30
Terek Sandpiper: 2
Ruddy Turnstone: 1
Sanderling: 2
Red-necked Stint: 150
Broad-billed Sandpiper: 3
Dunlin: 2
Curlew sandpiper: 8
Kentish Plover: 10
Lesser Sand Plover: 500

Greater Sand Plover: 10
Grey Plover: 10
Peregrine Falcon: 1
Grey Heron: 5
Great Egret: 2
Little Egret: 10
Chinese Pond Heron: 20
Little Heron: 1
Long-tailed Shrike: 4
Black Drongo: 10
Ashy Drongo: 5
Spangled Drongo: 5
Orange-headed Thrush:
Grey-backed Thrush: 1-2
Hainan Flycatcher: 10
Taiga Flycatcher: 1

Siberian Rubythroat: 1 ♂
Bluethroat: 1 ♂
White-rumped Shama: 1
Common Stonechat: 25
Barn Swallow: 10
Dusky Warbler: 1
Radde's Warbler: 1
Pallas Leaf Warbler: 1
Yellow-browed Leaf Warbler: 5
Two-barred Greenish Warbler: 1
Oriental White-eye: 1 (JK – Photo)
Richards Pipit: 1
Red-throated Pipit: 1
Yellow Breasted Bunting: 1 ♂

Thursday 10th of April 2008

Vejr: Morgen 20°/max. 25°, 8/8 - diset vejr og let vind.

Cuc Phoung fra 15.30-.Vejr:8/8, 30° høj luftfugtighed, let vind.

Nu var det på ny blevet tåge, og måske derfor sås der ikke noget ved morgen-obsen ved Xuan Thuy, inden vi ved 9-tiden forlod Røde Flodens delta med kurs mod Cuc Phoung Nationalpark. Undervejs standsede vi ved Van Long Marsh - et smukt søområde omgivet af bjerge. Der er mulighed for at blive sejlet rundt på søen, og det er øjensynligt ganske populært hos turister fra både ind - og udland.

Her sås bl.a. Høgeørn og Pheasant-tailed Jacana samt pænt med trækkende rovfugle – desværre kom de højt og derfor på lang afstand.

Vi fortsatte til Cuc Phoung. Da vi skulle til at tjekke ind, blev vi igen forstyrret af trækkende rovfugle i form af flokke af Black Baza, som nu kom i en tilpas lav højde, så alle kunne nyde dem.

I Cuc Phoung blev vi delt i to hold, idet Thomas og den ene halvdel boede ved Bong Substation 20 kilometer inde i regnskoven, mens Søren og den anden halvdel boede i de mere komfortable boliger ved nationalparkens hovedkvarter.

Årsagen til opdelingen var den enkle, at der ikke var plads til os alle i Bong. Men det skulle vise sig, at det slet ikke var så dårligt at bo ved parkens hovedkvarter.

Inden det blev mørkt, gik vi fra Bong ned af Valley Trail, der er en 3,5 kilometer lang sti, der ender ved et gammelt træ. Der var ikke meget fugleliv at se, men det var måske på grund af tidspunktet.

Vi spiste alle fælles aftensmad i Bong. Derefter tog Søren hold med bussen tilbage til parkens hovedkvarter og de gode værelser med elektrisk lys plus en fan og aircon, hvis vi ønskede det. I hytterne ved Bong var der kun elektricitet i tre timer om aftenen, så her var natterne mørke og meget varme, for det var usædvanligt lummerhedt her i Cuc Phoung.

Van Long Marsh 11.30-14.30

Little Grebe: 10
Common Kingfisher: 5
Plaintive Cuckoo: 1 singing
Greater Coucal: 1
Dollarbird: 1
Needletail Sp: 10
House Swift: 50
Common Moorhen: 25
Pheasant-tailed Jacana: 5
White-breasted Waterhen: 2
Black-winged Stilt: 10
Black Kite: 2
Bonelli's Eagle: 1 ad.

Eastern Marsh Harrier: 4 migrating.
Pied Harrier: 6 migrating.
Japanese Sparrowhawk: 40 migrating.
Oriental Honey-buzzard: 8 migrating
Common Kestrel: 1
Amur Falcon: 1 ♂
Little Egret: 4
Grey Heron: 25
Purple Heron: 1
Great Egret: 10
Intermediate Egret: 4
Chinese Pond Heron: 10
Brown Shrike: 1
Long-tailed Shrike: 1

Eurasian Blackbird: 1
Common Stonechat: 10
Red-billed Starling: 50
Crested Myna: 1
Great Tit: 1
Barn Swallow: 100 migrating
Red-rumped Swallow: 25 migrating
Red-whiskered Bulbul: 1
Light-vented Bulbul: 1
Plain Prinia: 4
Yellow-browed Leaf Warbler: 1
Grey-wagtail: 1
Tree sparrow: 10
Scaly-breasted Munia: 30

Friday 11th of April 2008

Cuc Phoung . Vejr: 0-2/8, 32-35°, høj luftfugtighed let til jævn vind.

I det tidlige morgenlys kørte Søren hold med bussen til Bong. Pludselig lettede en fugl foran os - en Malayan Night Heron, der havde gået og fourageret på vejen. Ifølge vores lokale fugleguide var det ganske normalt, at Malayan Night Heron sås på vejen om morgenen, men vi var godt oppe at køre, for Malayan Night Heron er i det øvrige Sydøstasien en art, som det er næsten helt umuligt at få at se.

Da vi ankom til Bong, begav vi os ud på det 7,5 kilometer lange og meget kuperede Loop Trail. Skoven var flot, men fuglene var meget sværere at få at se end i Cat Tien.

Måske er her ganske enkelt ikke lige så mange fugle som i Cat Tien. Det er påfaldende, at både aber og næsehornsugle i Cuc Phoung stort set er udryddet som følge af krybskytteri.

Der var eftermiddag, inden vi var færdige med Loop Trail. En lang tur med få fugle.

Inden det blev mørkt, nåede vi også at kigge lidt på Grid Trail, der er et stisystem mellem hytterne og restauranten ved Bong samt at vandre ud til Ancient Tree ved Valley Trail ligesom aftenen før. Igen med et beskedent resultat til notesbogen.

Saturday 12th of April 2008

Cuc Phoung . Vejr: 0-2/8 senere 6/8, 32-35°, høj luftfugtighed let til jævn vind.

Thomas' gruppe i Bong ville naturligvis også gerne se Malayan Night Heron. Derfor kørte de med bussen nogle kilometer, hvor de steg de ud af bussen, så de kunne gå resten af vejen frem til det sted, hvor vi andre havde set Malayan Night Heron dagen før.

Efter at have sat Bong-gruppen af, fortsatte bussen til parkens hovedkvarter for at samle den anden halvdel op, som derpå kørte retur mod Bong i det tidlige morgenlys.

Halvvejs mod Bong så Søren gruppe igen Malayan Night Heron og denne gang meget bedre end dagen før, idet den sås lige foran bussen. For lige at sikre sig, at vi alle i bussen havde set den, tog den en lang flyvetur få meter foran forruden, inden den forsvandt ind i skoven.

Da de to grupper lidt senere mødtes, kunne gruppen fra hovedkvarteret glædestrålende fortælle, at de havde set den sjældne hejre fint - men smilene stivnede lidt hos Bong-gruppen, som stadig ikke havde set den.

Vi fortsatte derefter alle mod Bong. Her vandrede vi op ad Loop-trailet og så bl.a. en meget smuk Silverbreasted Broadbill. Belært af den hårde tur dagen før, vendte vi dog om, så vi ikke skulle gå hele trailet.

Derpå kiggede vi lidt langs med Grid-trailet. Her sås bl.a. den eventyrligt smukke Sultan Tit.

Fra lysningen ved hytterne sås pænt med trækkende rovfugle.

Om eftermiddagen kørte vi alle til hovedkvarteret, hvor vi gik en lang tur i Botanical Garden. Her var skoven mere åben, og vi så betydelig flere fugle end ved Bong. Bl.a. sås godt med Black Baza og en meget fin Long-tailed Broadbill.

Om aftenen returnerede bussen til Bong, for der var blevet lagt en ny plan for at gruppen i Bong kunne få Malayan Night Heron at se.

Photo©Thomas W. Johansen



Sunday 13th of April 2008

Cuc Phoung . Vejr: 8/8, kraftig regn på nær fra kl. 5-7 samt fra kl. 13.30-17.00, max 28°

Her til morgen havde Thomas' gruppe planlagt at køre i bus fra Bong hele vejen til nationalparkens hovedkvarter, hvor de ville hente os andre. Undervejs håbede de så på at se den sjældne hejre.

Da de ankom, kunne vi se på deres brede og tilfredse smil, at de havde haft heldet med sig. Og ikke blot det. De havde set hejren gå på vejen på et par meters afstand.

Da vi kørte tilbage mod Bong, så vi alle Malayan Night Heron gå rundt på vejen foran os. Den var så tillidsfuld, at vi kunne gå ud af bussen og se den fouragere få meter fra os. En stor oplevelse.

Vi kørte lidt endnu, hvorpå Erling steg af bussen, da han ville gå de sidste 10 kilometer mod Bong. Vi andre kørte yderligere fem kilometer, og så steg vi også ud af bussen for at gå det sidste stykke.

Vi var imidlertid ikke kommet ret langt, inden det begyndte at regne. Til at begynde med var det en sagte, om end silende regn, og vi kunne fortsætte med at se på fugle. Bl.a. så vi Black-backed Kingfisher meget fint. Men regnen blev stille og roligt værre og værre, og da vi nåede Bong, var vi alle godt gennemblødt.

Vi sad længe ved morgenbordet i håb om, at det ville klare op, men regnen blev blot ved. Til sidst kørte gruppen fra hovedkvarteret retur til deres værelser, så de kunne sidde her, mens det regnede.

Midt på eftermiddagen klarede det omsider lidt op. I Bong kiggede de lidt omkring hytterne, hvor de bl.a. fandt Pied Falconet, mens gruppen ved hovedkvarteret gik en tur i Botanical Garden og her ligeledes så Pied Falconet plus White-winged Magpie og en sværm af Black Baza, der søgte overnatning i træerne.





Monday 14th of April 2008

Cuc Phoung . Vejr: 4/8, 28° kl. 8.00

Om morgenen var det tørt og lidt køligt. Begge grupper nåede en fin morgen-obs, inden vi samledes til fælles morgenmad ved nationalparkens hovedkvarter. Herefter satte vi kurs mod Tam Dao. Undervejs standsede vi igen ved Van Long Marsh. Denne gang sås bl.a. Grey-headed Lapwing.

Derpå fortsatte vi mod Hanoi og derfra videre mod nordvest, idet bjergmassivet Tam Dao ligger 85 kilometer fra Hanoi. Vi nåede frem ved Tam Dao ved 15-tiden og kørte straks til Green World Hotel - et stort hotel, der næsten lå øde hen.

Inden det blev mørkt, nåede vi at gå en lang tur, da der fra byens østlige udkant går en meget lang trappe op ad bjerget. Trappen, der også kaldes Transmitter Trail, fører op mod en radarstation. Stien er omgivet af meget tæt skov, og det er svært at finde fuglene, men vi så bl.a. Spot-necked Babbler.

Van Long Marshes

14/4 9.55-10.20

Black-capped Kingfisher: 1

Grey-headed Lapwing: 2

Crested Serpent Eagle: 1

Black-winged Stilt: 10

Tam Dao 14/4 kl 16.00-18.30

Transmitter Trail (The Steps) 4/8, 25°

Golden-throated Barbet: 2 singing

Grey Laughing-thrush: flock heard

Golden Babbler: 3 singing

Spot-necked Babbler: 3

Silver-eared Mesia: 2

Grey-cheeked Fulvetta: 4



Cuc Phoung 10th-14th of April

Weather: 10th of April: 8/8, 30°C, very humid, light wind.

Weather: 11th of April: 0-2/8, 32-35°C, very humid, light wind.

Weather: 12th of April: 0-2/8 senere 6/8, 32-35°C, very humid, light to moderate wind.

Weather: 13th of April: 8/8, heavy rain except at 5.00-7.00 and at 13.30-17.00 hours, max 28°C.

Weather: 14th of April: 4/8, 28°C at 8.00 hours

Yellow-legged Buttonquail: 1 12/4 Botanical garden.

Bar-backed Partridge: heard 12/4 and 13/4

Chestnut-necklaced Partridge: One heard on Loop-trail 11/4

Red Junglefowl: Seen and heard all days.

Grey Peacock Pheasant: One heard in the hills against Loop-trail from Valley Trail.

Grey-capped Woodpecker: Seen around Bong and HQ all days.

Lesser Yellow-nape: Seen and heard all days.

Greater Flameback: Seen and heard all several places.

Bay Woodpecker: Seen and heard all several places.



Rufous Woodpecker: 1 heard drumming 12/4 Botanical Garden.

Green Eared Barbet: 1 12/4 Botanical Garden, 1 Bong 13/4

Red-vented Barbet: Heard a few times.

Hornbill Sp.: One seen 2/4 over Botanical Garden (HW) - most likely Brown Hornbill.

Red-headed Trogon: Very common. Heard all days, but only seen a few times. Apr 25-30 individuals heard calling.

Bee-eater sp. (Blue-tailed/Blue-throated): 12/4 32 migr. Bong.

Common Kingfisher: 1 12/4 and 13/4 Bong Swimming Pool.

Black-backed Kingfisher: 2 seen and heard 3 km from Bong towards HQ.

Black-capped Kingfisher: 1 13/4 Bong Swimming Pool.

Banded Bay Cuckoo: Heard all days form everywhere!

Plaintive Cuckoo: 10/4 1 sy. HQ, 11/4 1 calling Bong.

Drongo Cuckoo: Heard all days form everywhere, but unly seen a few times.

Asian Koel: Only a few heard calling.

Greater Coucal: Heard all days, but not numerous.

Dollarbird: Up to 6 individuals per day.

Himalayan Swiftlet: 2 12/4 HQ.

Silver-backed Needletail: Seen all days.

Brown-backed Needletail: 14/4 2 Bong

Fork-taillet Swift: Small numbers of migrating birds sen every day.

Collared Scops Owl: 12/4 1 calling shortly at Bong (GG, TWJ)

Collared Owlet: heard around Ancient-trail 12 and 14/4

Asian Barred Owlet: Heard daily.

Brown Wood Owl: 2 heard Bong 11/4 around 22.00 hours

Thick-billed Green Pigeon: common – seen several times daily.

White-bellied Green Pigeon: 12/ 4 2 Loop-trail (only seen in silhouet together with T-B.G.Pigeons – TWJ, TL) and 13/4 1 seen well Main road between H.Q. and Bong (EK)

White-breasted Waterhen: 13/4 1

Osprey: 12/4 2 migr. and 13/4 1 migr.

Crested Serpent Eagle: Seen daily around Bong and 14/4 1 HQ.

Black Kite: 12/4 1 migr. Bong

Black Eagle: Bong 11/4 and 14/4.

Eastern Marsh Harrier: 5 12/4 migr. Bong.

Crested Goshawk: 12/4 1 male in display Bong and 14/4 1 HQ.

Chinese Sparrowhawk: 13/4 1 ad male (TWJ)

Japanese Sparrowhawk: Seen migrating all days. Best day 12/4 44 Bong

Black Baza: Many migrating: 10/4 55 HQ, 12/4 173 migr. Bong, 12/4 200 roosting HQ, 13/4 600 migr. HQ og 10 roosting Bong.

Jerdons Baza: 12/4 2 migr. Bong.

Grey-faced Buzzard: 12/4 19 migr. Bong and 10 migr. HQ, 14/4 10 migr. HQ

Oriental Honey-buzzard: 10/4 2 migr. HQ

Mountain Hawk Eagle: 10+11+12/4 1 rst. Bong.

Pied Falconet: 13/4 2 roosting Bong og 1 rst. HQ

Common Kestrel: 12/4 1 migr. Bong

Chinese Pond Heron: 12/4 5 flying to night roost at Bong.

Malayan Night Heron: Seen every morning before and around dawn between HQ and Bong: one 11 to 13/4 and two 13/4

Long-tailed Broadbill: heard daily. 12 and 14/4 2 HQ. a total of 8 birds.

Silver-breasted Broadbill: Heard daily and seen a few times from Loop-trail.

Fairy Bluebird: Common. Heard often, but only seen a few times.

Grey-backed Shrike: 1 at Bong restaurant and 1 along Valley Trail.

Black Drongo: A few.

Ashy Drongo: 2-4 grey brids. Seen daily.

Crow-billed Drongo: Seen daily

Spangled Drongo: 1 13/4 Valley Trail.



Long-tailed Broadbill. Photo©Jørgen Kruse

Greater Racket-tailed Drongo: A few.

White-winged Magpie: 12 and 13/4 2 Valley Trail, 13 and 14/4 2 Botanical Garden.

Red-billed Blue Magpie: 13/4 1 at Bong restaurant area, which flew towards Valley Trail.

Grey Treepie: 12/4 2 Botanical Garden.

Ratchet-tailed Treepie: 11 and 14/4 1 Grid Trail

Black-naped Oriole: 13/4 2 Valley Trail.

Black-winged Cuckooshrike: 1 14/4 Botanical Garden.

Large Woodshrike: Very common in Cuc Phoung.

Rosy Minivet: 13/4 1 pair 4 km. from Bong towards HQ (EK, TWJ).

Ashy Minivet: 2 11/4 HQ, 45 13/4 Bong.
 Long-tailed Minivet: 12/4 1 og 2 13/4 Bong.
 Scarlet Minivet: A few.
 Black-naped Monarch: Common.
 Asian Paradise Flycatcher: A few.
 Orange-headed Thrush: 13/4 1 between Bong and HQ
 Scaly Thrush: 14/4 1 Bong.
 Asian Brown Flycatcher: 12/4 1 Bong.
 Taiga Flycatcher: 1-3 birds. Seen all days.
 Grey-headed Canary Flycatcher: Single observations.
 Yellow-rumped Flycatcher: At least tree different males around Bong.
 Mugimaki Flycatcher: At least 2♂ og 1♀ around Bong.
 Hainan Blue Flycatcher: Common around Bong.
 Siberian Blue Robin: 13/4 1♀ Valley Trail, 14/4 1♀ Loop Trail.
 Oriental Magpie Robin: A few
 White-rumped Shama: A few
 Common Stone-chat: 13/4 3 Bong.
 Ashy Wood-swallow: 10/4 15 HQ
 Hill Myna: A few



Yellow-rumped Flycatcher. Photo©Jørgen Kruse

Sultan Tit: 12/4 Botanical garden, 13/4 Bong, 14/4 Grid Trail.

Barn Swallow: A few.

Red-rumped Swallow: A few small flocks seen migrating.

Black-crested Bulbul: Several observations form Valley Trail.

Red-whiskered Bulbul: Common.

Sooty-headed Bulbul: 12/4 1 Botanical Garden

Puff-throated Bulbul: A few observations around Bong.

Black Bulbul: 12/4 1 (concolor) Grid Trail, 13/4 2 (stresemanni).

Rufescent Prinia: Common langs Valley Trail.

Common Tailorbird: A few.

Asian Stubtail: 13/4 2 singing Valley Trail (TWJ).

Pallas' Leaf Warbler: 1 13/4 Bong.

Yellow-browed Warbler: Very common.

Arctic Warbler: 11/4 1 Bong.

Pale-legged Leaf Warbler: 11/4 1 Grid Trail.

Eastern Crowned Warbler: 12/4 4 Valley Trail and 2 Botanical Garden.

Puff-throated Babbler: 11/4 1 Bong.

Large Scimitar Babbler: 11/4 1 heard Bong.

Limestone Wren Babbler: 12/4 2 Cave of Prehistoric man, 2 Loop Trail 12-13/4 several heard form Valley Trail.

Grey-throated Babbler: Seen several times around Bong.

Striped Tit-babbler: Common.



Crested Serpent Eagle. Photo©Carl Erik Mabeck

Rufous-throated fulvetta: 11/4 2 Loop Trail.

Black-browed Fulvetta: Seen daily.

White-bellied Yuhina: 12/4 1 Grid Trail.

Yellow-vented Flowerpecker: 12/4 1 Botanical Garden, 14/4 1 Bong.

Plain Flowerpecker: Common.

Olive-backed Sunbird: Common around Bong.

Fork-tailed Sunbird: Frequently seen in primary jungle around Bong.

Streaked Spiderhunter: 1 12/4 Bong.

Olive-backed Pipit: Common around Bong.

Forest Wagtail: 11/4 1 Valley Trail, 12/4 1 Botanical Garden, 14/4 1 Bong

Grey Wagtail: 14/4 1 Bong

Tuesday 15th of April 2008

Tam Dao. Vejr: 8/8 (kortvarigt ned til 5/8), Regn det meste af natten indtil kl. 7.00, op til 25° fra kl. 10.30-14.00 tæt tåge.

Efter en usædvanlig ringe morgenmad, gik vi fra hotellet ud af byen ad den kendte Watertower Trail. Stien er faktisk ikke mere en sti, men en udmærket grusvej. Desværre havde der været et større stensked, der helt havde begravet vejen. For at forcere stenskedet skulle vi derfor klatre på en noget primitiv bro, hvor der var meget langt ned.

Skoven ved Water Tower Trail er mere åben og det var lettere at få øje på fuglene end ved Transmitter Trail. Bl.a. sås Blackwinged Cuckoo-Shrike og Orange-bellied Leafbird fint af alle.

Desværre blev det tåge op af dagen, og tågen var så tæt, at det blev helt umuligt at se på fugle.

Om eftermiddagen besøgte vi vandfaldet nedenfor Mela Hotel. Vandfaldet skulle huse både forktails og River Chat, men vi så ingen af delene. Måske fordi der var mange vietnamesere ved faldet.

Om aftenen klarede det lidt op og vi besøgte igen Water Tower Trail.

Tam Dao

Oriental Cuckoo: 1 singing

Banded Bay Cuckoo: 2 singing

Black Kite: 1 trk.

Eastern Marsh Harrier: 1 trk.

Chinese Sparrowhawk: 1 ad. ♂ trk.

Japanese Sparrowhawk: 5 trk.

Mountain Hawk Eagle: 1

Orange-bellied Leafbird: 3

Black Drongo: 4

Ashy Drongo: 4

Crow-billed Drongo: 2

Bronzed Drongo: 1

Spangled Drongo: 1

Common Green Magpie: 1

Black-naped Oriole: 4

Black-winged Cuckooshrike: 1

Scarlet Minivet: 2

Siberian Thrush: 2

Eurasian Blackbird: 2

Grey-headed Canary Flycatcher: 1

Red-rumped Swallow: 50 migr.

Sooty-headed Bulbul: 2

Chestnut Bulbul: 4

Black Bulbul: 10 (concolor), 1 (stresemanni).

Mountain Tailorbird: 2

Common Tailorbird: 2

Pallas' Leaf Warbler: 2

Yellow-browed Warbler: 25

Eastern Crowned Warbler: 6

Grey Laughingthrush: 20

Large Scimitar Babbler: 1

Streak-breasted Scimitar Babbler: 2

Red-billed Scimitar Babbler: 5

Golden Babbler: 15 singing

Spot-necked Babbler: 5

Silver-eared Mesia: 4

Grey-cheeked Fulvetta: 10

White-hooded Babbler: 3

Striated Yuhina: 4

Black-chinned Yuhina: 30

Short-tailed Parrotbill: 1 singing

Plain Flowerpecker: 4

Fork-tailed Sunbird: 1 ♂

Grey Wagtail: 1



Golden Babbler. Photo©Jørgen Kruse

Wednesday 16th of April 2008

Tam Dao kl. 6.00-15.30

8/8 (kortvarrigt ned til 5/8), Regn det meste af natten indtil kl. 7.00, op til 25° fra kl. 10.30-14.00 tæt tåge.

Takket være Erling, der donerede pulverkaffe til alle, blev morgenmaden i dag helt hæderlig.

Det havde regnet om natten, og luften emmede af fugt og desværre også af tåge.

Vi besøgte på ny Water Tower Trail, og også vandfaldet blev besøgt, men der skulle kæmpes hårdt i tågen for at øje på fuglene.

Ved middagstid klarede det omsider helt op. Solen brød igennem, og det satte gang i et stortslået rovfugletræk med Black Baza, Jerdon's Baza, Grey-faced Buzzard, Japanese og Chinese Sparrowhawk samt flere ørne. Vi sluttede af med manér, da den sidste rovfugl vi så, inden vi skulle forlade Tam Dao, var en ny art for Vietnam i form af en trækkende dværgørn!

Derpå kørte vi til Hanoi, hvor vi boede på det udmærkede Golden Key Hotel midt i byen. Vi sagde farvel til Tom (Thong) og derefter var der fælles afslutningsmiddag med dyre importerede franske vine og overdådig lækker mad. Et fint punktum for DOF Travels første, men forhåbentlig ikke sidste rejse til Vietnam.

Tam Dao 10.30-16.15

White-browed Piculet: 1

Grey-capped Pygmy Woodpecker: 1

Banded Bay Cuckoo: 3

Orange-bellied Leafbird: 2

Black Drongo: 2

Ashy Drongo: 1

Crow-billed Drongo: 1

Bronzed Drongo: 2

Black-naped Oriole: 5

Black-winged Cuckooshrike: 2

Scarlet Minivet: 4

Purple Cochoa: 1 heard

Grey-headed Canary Flycatcher: 4

Red-rumped Swallow: many

Sooty-headed Bulbul: 4

Chestnut Bulbul: 2

Black Bulbul: 10

Mountain Tailorbird: 3

Common Tailorbird: 3

Pallas' Leaf Warbler: 10

Yellow-browed Warbler: 5

Eastern Crowned Warbler: 3

Grey Laughingthrush: 10-20

Golden Babbler: many singing

Spot-necked Babbler: 5

Silver-eared Mesia: 10

Grey-cheeked Fulvetta: 10

Striated Yuhina: 4

Black-chinned Yuhina: 25

Short-tailed Parrotbill: 4

Plain Flowerpecker: 4

Fork-tailed Sunbird: 2

Grey Wagtail: 1

Raptor- and swallowmigration 13.15-16.15:

Grey-faced Buzzard: 42

Black Baza: 320

Japanese Sparrowhawk: 163

Chinese Sparrowhawk: 17

Pied Harrier: 2♂

Eastern Marsh Harrier: 1

Booted Eagle: 1 dark

Jerdons Baza: 6

Oriental Honey Buzzard: 5

Steppe Eagle: 1 subad-ad

Eagle Sp.: 3

Barn Swallow: 190

Red-rumped Swallow: 90

Tam Dao. Photo©Thomas W. Johansen



Thursday 17th of April 2008

Vi havde næsten hele dagen til rådighed i Hanoi. Næsten alle besøgte den gamle bydel. Her fik mange købt silke. Der var også flere, der nåede at besøge nogle af byens museer – bl.a. Ho Chi Minh museet.

Når man ser på Hanoi og det øvrige Vietnam i dag må man dog konstatere, at selv om Ho Chi Minh og kommunisterne nok vandt krigen, så har USA og markedsøkonomien vundet freden. Vietnam i dag er i lighed med Kina et superkapitalistisk land. Dollaren er vietnamesernes foretrukne betalingsmiddel, og det vietnamesiske fjernsyn er fyldt med amerikanske film og efterligninger af amerikanske tv-shows.

Mest overraskende var nok, at gaderne var fyldt med reklamer for Rambo-film, selv om disse actionfilm giver en meget stereotyp fremstilling af vietnameserne under krigen.

Klokken 17 blev vi hentet af bussen og kørt til lufthaven udenfor byen. Vi kom i god tid, da vores fly med Thai Airways mod Bangkok først skulle lette klokken 20.45, og vi nåede derfor at se rejsens sidste flok Black Baza søge nattekvarter nær lufthavnen. Og turens sidste turart blev en hvid vipstjert ved lufthavnen!

Flyet til Bangkok blev forsinket i tre kvarter, men vi havde stadig god tid til at skifte i Bangkoks lufthavn.

Friday 18th of April 2008

Knap en time over midnat, klokken 0.50, lettede vi med kurs mod København – en flyrejse på næsten 12 timer. Som følge af sommertiden i Europa, var der nu kun fem timers forskel mellem Vietnam og Danmark, og klokken 7.30 landede vi Kastrup Lufthavn. Trætte efter en lang, men god rejse.

Hanoi Airport 17.00-

Black Baza: 20 - for roost

Chinese Pond-heron: 9

Black Drongo: 4

Common Tailorbird: 1

White Wagtail: 1



The group at watertank trail, Tam Dao. Photo©Thomas W. Johansen

Mammallist

Northern Slender-tailed Treeshrew (*Dendrogale murina*)

Cat Tien NP : At least one individual. Seen well . Da Lat area : At least one;

Northern Treeshrew (*Tupaia belangeri*)

Deo Nui San, one individual.

Black-shanked Douc (*Pygathrix nigripes*)

Cat Tien NP, group of app. 6 individuals seen extremely well near Heaven Rapids.

Long-tailed Macaque (*Macaca fascicularis*)

Cat Tien NP: Odd looking specimen near camp + small flock near Heaven Rapids, associating briefly with Dougs.

Buff-cheeked Gibbon (*Nomascus gabriellae*)

Cat Tien NP : Two flocks seen, one (app. 5 individuals, incl. one big male) on trail to Crocodile Lake, the other group near Heaven Rapids.

Common Palm Civet (*Paradoxurus hermaphroditus*)

Cat Tien NP: 3 individuals, one seen during day time. Small Asian Mongoose (*Herpestes javanicus*) Cuc Phoung: 3 seen in the Botanical Garden.

Red Muntjac (*Muntiacus muntjak*)

Cat Tien NP: 1 fem. seen during daytime at close quarters, Crocodile Lake trail (seen by TL and EK) Sambar (*Rusa unicolor*) Cat Tien NP : At least 15 seen during early evening 'night drive'.

Gaur (*Bos frontalis*)

Cat Tien, NP : None seen, but many tracks at Crocodile Lake.

Black Giant Squirrel (*Ratufa bicolor*)

Cat Tien NP: Heard acc.to guide. Da Lat, Ta Nung Valley: One individual (with colouration not matching well in guide)

Pallas' Squirrel? (*Callosciurus erythraeus*?)

A squirrel species was seen daily up to 5 individuals in Cat Tien. Possibly this species. In the beginning, it was mistakenly identified as Variable Squirrel.

Pallas's Squirrel (*Callosciurus erythraeus*)

Deo Nui San: One individual, pale feet, striped tail.

Cambodian Striped Squirrel (*Tamiops rodolphii*)

Cat Tien NP: several each day.

Eastern Striped Squirrel (*Tamiops maritimus*)

Deo Nui San: One individual.

House Rat (*Rattus rattus*)

Seen several times during the trip, in urban areas.

Burmese Hare (*Lepus peguensis*)

Cat Ten: One in N.P. Headquarters, on lawns, after dark.

Total Birdlist

1	Yellow-legged Buttonquail	49	Black-backed Kingfisher	97	Wedge-tailed Green Pigeon	145	Grey Plover
2	Rufous-throated Partridge	50	Banded Kingfisher	98	White-bellied Green Pigeon	146	Grey-headed Lapwing
3	Bar-backed Partridge	51	Stork-billed Kingfisher	99	Oriental Turtle Dove	147	Red-wattled Lapwing
4	Scaly-breasted Partridge	52	White-breasted Kingfisher	100	Spotted Dove	148	Oriental Pratincole
5	Chestnut-necklaced Partridge	53	Black-capped Kingfisher	101	Red-collared Dove	149	Siberian Gull
6	Red Junglefowl	54	Pied Kingfisher	102	Barred Cuckoo Dove	150	Caspian Tern
7	Silver Pheasant	55	Large Hawk Cuckoo	103	Emerald Dove	151	Gull-billed Tern
8	Siamese Fireback	56	Indian Cuckoo	104	Purple Swampphen	152	Whiskered Tern
9	Germain's Peacock Pheasant	57	Oriental Cuckoo	105	Common Moorhen	153	Osprey
10	Grey Peacock Pheasant	58	Banded Bay Cuckoo	106	Pheasant-tailed Jacana	154	Lesser Fish Eagle
11	Green Peafowl	59	Plaintive Cuckoo	107	Bronze-winged Jacana	155	White-bellied Sea Eagle
12	Lesser Whistling-duck	60	Violet Cuckoo	108	Slaty-breasted Rail	156	Crested Serpent Eagle
13	Eurasian Wigeon	61	Drongo Cuckoo	109	White-breasted Waterhen	157	Black Kite
14	Spot-billed Duck	62	Asian Koel	110	Ruddy-breasted Crake	158	Black Eagle
15	Northern Shoveler	63	Green-billed Malkoha	111	Pintail Snipe	159	Bonelli's Eagle
16	Common Teal	64	Greater Coucal	112	Swinhoes Snipe	160	Booted Eagle
17	Garganey	65	Lesser Coucal	113	Common Snipe	161	Rufous-bellied Eagle
18	Little Grebe	66	Hoopoe	114	Black-tailed Godwit	162	Eastern Marsh Harrier
19	White-browed Piculet	67	Indian Roller	115	Bar-tailed Godwit	163	Pied Harrier
20	Grey-capped Pygmy Woodpecker	68	Dollarbird	116	Asian Dowitcher	164	Crested Goshawk
21	White-bellied Woodpecker	69	Blossom-headed Parakeet	117	Whimbrel	165	Shikra
22	Lesser Yellownape	70	Red-breasted Parakeet	118	Eurasian Curlew	166	Chinese Sparrowhawk
23	Greater Yellownape	71	Vernal Hanging Parrot	119	Spotted Redshank	167	Japanese Sparrowhawk
24	Laced Woodpecker	72	Himalayan Swiftlet	120	Common Redshank	168	Black Baza
25	Grey-headed Woodpecker	73	Silver-backed Needletail	121	Marsh Sandpiper	169	Black-shouldered Kite
26	Common Flameback	74	Brown-backed Needletail	122	Common Greenshank	170	Grey-faced Buzzard
27	Greater Flameback	75	Asian Palm Swift	123	Normann's Greenshank	171	Common Buzzard
28	Bay Woodpecker	76	Fork-tailed Swift	124	Green Sandpiper	172	Aquila sp.
29	Rufous Woodpecker	77	House Swift	125	Wood Sandpiper	173	Jerdons Baza
30	Black-and-buff Woodpecker	78	Crested Treeswift	126	Terek Sandpiper	174	Oriental Honey-buzzard
31	Heart-spotted Woodpecker	79	Mountain Scops Owl	127	Common Sandpiper	175	Changeable Hawk Eagle
32	Red-vented Barbet	80	Oriental Scops Owl	128	Grey-tailed Tattler	176	Mountain Hawk Wagle
33	Lineated Barbet	81	Collared Scops Owl	129	Ruddy Turnstone	177	Pied Falconet
34	Green-eared Barbet	82	Collared Owlet	130	Sanderling	178	Common Kestrel
35	Golden-throated Barbet	83	Asian Barred Owlet	131	Spoon-billed Sandpiper	179	Amur Falcon
36	Black-browed Barbet	84	Brown Hawk Owl	132	Red-necked Stint	180	Merlin
37	Blue-eared Barbet	85	Barn Owl	133	Broad-billed Sandpiper	181	Peregrine Falcon
38	Coppersmith Barbet	86	Brown Wood Owl	134	Great Knot	182	Little Egret
39	Oriental Pied Hornbill	87	Short-eared Owl	135	Red Knot	183	Chinese Egret
40	Great Hornbill	88	Javan Frogmouth	136	Dunlin	184	Grey Heron
41	Wreathed Hornbill	89	Great Eared Nightjar	137	Curlew Sandpiper	185	Purple Heron
42	Orange-breasted Trogon	90	Large-tailed Nightjar	138	Black-winged Stilt	186	Great Egret
43	Red-headed Trogon	91	Rock Pigeon	139	Little Ringed Plover	187	Intermediate Egret
44	Blue-bearded Bee-eater	92	Green Imperial Pigeon	140	Kentish Plover	188	Cattle Egret
45	Green Bee-eater	93	Mountain Imperial Pigeon	141	Lesser Sand Plover	189	Chinese Pond Heron
46	Blue-tailed Bee-eater	94	Orange-breasted Green Pigeon	142	Greater Sand Plover	190	Little Heron
47	Chestnut-headed Bee-eater	95	Pompadour Green Pigeon	143	Oriental Plover	191	Black-crowned Heron
48	Common Kingfisher	96	Thick-billed Green Pigeon	144	Pacific Golden Plover	192	Malayan Night Heron

193	Yellow Bittern	241	Large Woodshrike	289	Common Myna	337	Yellow-browed Leafwarbler
194	Von Schrenck's Bittern	242	Rosy Minivet	290	Crested Myna	338	Artic Warbler
195	Cinnamon Bittern	243	Ashy Minivet	291	Golden-crested Myna	339	Two-barred Warbler
196	Black-faced Spoonbill	244	Small Minivet	292	Hill Myna	340	Pale-legged Leaf Warbler
197	Lesser Adjutant	245	Long-tailed Minivet	293	Chestnut-vented Nuthatch	341	Eastern Crowned Warbler
198	Oriental Darter	246	Scarlet Minivet	294	Velvet-fronted Nuthatch	342	Blyth's Leaf Warbler
199	Little Cormorant	247	White-throated Fantail	295	Brown-throated Treecreeper	343	White-tailed Leaf Warbler
200	Blue-rumped Pitta	248	Black-naped Monarch	296	Great Tit	344	Japanese White-eye
201	Blue Pitta	249	Asian Paradise Flycatcher	297	Green-backed Tit	345	Oriental White-eye
202	Bar-bellied Pitta	250	White-throated Rock Thrush	298	Yellow-cheeked Tit	346	Grey-bellied Tesia
203	Black-and-red Broadbill	251	Blue Rock Thrush	299	Sultan Tit	347	Bianchi's Warbler
204	Long-tailed Broadbill	252	Blue Whistling Thrush	300	Grey-crowned Tit	348	Chestnut-crowned Warbler
205	Silver-breasted Broadbill	253	Orange-headed Thrush	301	Sand Martin	349	White-crested Laughingthrush
206	Banded Broadbill	254	Siberian Thrush	302	Barn Swallow	350	Black-hooded Laughingthrush
207	Dusky Broadbill	255	Scaly Thrush	303	Red-rumped Swallow	351	Grey Laughingthrush
208	Asian Fairy Bluebird	256	Grey-backed Thrush	304	Northern House Martin	352	White-cheeked Laughingthrush
209	Blue-winged Leafbird	257	Japanese Thrush	305	Asian House Martin	353	Orange-breasted Laughingthrush
210	Golden-fronted Leafbird	258	Eurasian Blackbird	306	Black-headed Bulbul	354	Hwamei
211	Orange-bellied Leafbird	259	Eye-browed Thrush	307	Black-crested Bulbul	355	Collared Laughingthrush
212	Brown Shrike	260	Purple Cochoa	308	Red-whiskered Bulbul	356	Abbott's Babbler
213	Burmese Shrike	261	Green Cochoa	309	Light-vented Bulbul	357	Spot-throated Babbler
214	Long-tailed Shrike	262	Asian Brown Flycatcher	310	Sooty-headed Bulbul	358	Puff-throated Babbler
215	Grey-backed Shrike	263	Red-throated (Taiga) Flycatcher	311	Stripe-throated Bulbul	359	Scaly-crowned Babbler
216	Black Drongo	264	Verditer Flycatcher	312	Flavescent Bulbul	360	Large Scimitar Babbler
217	Ashy Drongo	265	Grey-headed Canary Flycatcher	313	Streak-eared Bulbul	361	White-browed Scimitar Babbler
218	Crow-billed Drongo	266	Yellow-rumped Flycatcher	314	Puff-throated Bulbul	362	Streak-breasted Scimitar Babbler
219	Bronzed Drongo	267	Mugimaki Flycatcher	315	Ochraceous Bulbul	363	Red-billed Scimitar Babbler
220	Greater Racket-tailed Drongo	268	Little Pied Flycatcher	316	Grey-eyed Bulbul	364	Chestnut-capped Babbler
221	Spangled Drongo	269	Large Niltava	317	Ashy Bulbul	365	Limestone Wren Babbler
222	Lesser Racket-tailed Drongo	270	Hainan Blue Flycatcher	318	Chestnut Bulbul	366	Pygmy Wren Babbler
223	Eurasian Jay	271	Tickell's Blue Flycatcher	319	Mountain Bulbul	367	Rufous-capped Babbler
224	White-winged Magpie	272	Lesser Shortwing	320	Black Bulbul	368	Golden Babbler
225	Red-billed Blue Magpie	273	Siberian Ruby-throat	321	Brown Prinia	369	Grey-throated Babbler
226	Common Green Magpie	274	Bluethroat	322	Hill Prinia	370	Spot-necked Babbler
227	Grey Treepie	275	Siberian Blue Robin	323	Rufescent Prinia	371	Striped Tit Babbler
228	Racket-tailed Treepie	276	Oriental Magpie Robin	324	Yellow-bellied Prinia	372	Grey-faced Tit-babbler
229	Ratchet-tailed Treepie	277	White-rumped Shama	325	Plain Prinia	373	Chestnut-fronted Shrike Babbler
230	Large-billed Crow	278	Slaty-backed Forktail	326	Mountain Tailorbird	374	White-browed Shrike Babbler
231	Black-naped Oriole	279	Spotted Forktail	327	Common Tailorbird	375	Blue-winged Minla
232	Slender-billed Oriole	280	Common Stonechat	328	Dark-necked Tailorbird	376	Silver-eared Mesia
233	Black-hooded Oriole	281	Pied Bushchat	329	Asian Stubtail	377	Rufous-throated Fulvetta
234	Maroon Oriole	282	Grey Bushchat	330	Lanceolated Warbler	378	Black-browed Fulvetta
235	Common Iora	283	Ashy Woodswallow	331	Blunt-winged Warbler	379	Mountain Fulvetta
236	Great Iora	284	Chestnut-tailed Starling	332	Oriental Reed Warbler	380	Grey-cheeked Fulvetta
237	Large Cuckoo-shrike	285	Red-billed Starling	333	Dusky Warbler	381	White-hooded Babbler
238	Indochinese Cuckoo-Shrike	286	White-shouldered Starling	334	Radde's Warbler	382	Grey-crowned Crocias
239	Black-winged Cuckooshrike	287	Vinous-breasted Starling	335	Ashy-throated Leaf Warbler	383	Rufous-backed Sibia
240	Bar-winged Flycatcher-shrike	288	Black-collared Starling	336	Pallas' Leaf Warbler	384	Black-headed Sibia

385	Grey-headed Parrotbill
386	Striated Yuhina
387	Black-chinned Yuhina
388	White-bellied Yuhina
389	Short-tailed Parrotbill
390	Thick-billed Flowerpecker
391	Plain Flowerpecker
392	Fire-breasted Flowerpecker
393	Scarlet-backed Flowerpecker
394	Yellow-vented Flowerpecker

395	Brown-throated Sunbird
396	Ruby-cheeked Sunbird
397	Olive-backed Sunbird
398	Mrs Gould's Sunbird
399	Green-tailed Sunbird
400	Fork-tailed Sunbird
401	Black-throated Sunbird
402	Crimson Sunbird
403	Little Spiderhunter
404	Streaked Spiderhunter

405	Paddyfield Pipit
406	Olive-backed Pipit
407	Red-throated Pipit
408	Richards Pipit
409	Forest Wagtail
410	Yellow Wagtail
411	White Wagtail
412	Grey Wagtail
413	Eurasian Tree Sparrow
414	Baya Weaver

415	Asian Golden Weaver
416	Scaly-breasted Munia
417	Vietnamese Greenfinch
418	Little Bunting
419	Yellow-breasted Bunting
420	Black-faced Bunting
421	Pallas' Reed Bunting

